

### **Citric acid monohydrate**

Page : 1 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product form	: Substance	
Trade name	: Citric Acid Monohydrate Granular	
	Citric Acid Monohydrate Fine Granular	
Chemical name	: Citric acid monohydrate	
EC-No.	: 611-842-9/201-069-1	
CAS-No.	: 5949-29-1	
REACH registration No	: 01-2119457026-42-0008	
Product code	: 0432768, 0432776	
Synonyms	: Citric acid, monohydrate / 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monohydrate / 2-Hydroxy-1,2,3-propanetricarboxylic acid monohydrate	

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Industrial uses, Professional uses, Consumer use, Detergent & Cleaning products
Use of the substance/mixture	<ul> <li>Food additive</li> <li>Pharmaceutical industry</li> <li>Cosmetics, personal care products, in industrial applications</li> <li>Further information: see exposure scenarios attached to this safety data sheet.</li> </ul>

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Citribel nv Pastorijstraat 249 3300 Tienen - Belgium T +32 16 806600 compliance@citribel.com

### 1.4. Emergency telephone number

Emergency number

: 09.00-17.00 h: +32 16-806600 17.00-09.00 h: +32-16-806669

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319 STOT SE 3 H335



Full text of H- and EUH-statements: see section 16

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS07
Signal word	: Warning
Hazard statements (CLP)	: H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P261 - Avoid breathing dust.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear eye protection, face protection.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> </ul>
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	
Other hazards	Dust may form explosive mixture in air. Results of PBT and vPvB assessment : The product does not meet the PBT and vPvB classification criteria.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

:

Component	
Citric acid monohydrate (5949-29-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Substance name	: Citric acid monohydrate	
CAS-No.	: 5949-29-1	
EC-No.	: 611-842-9/201-069-1	



### Citric acid monohydrate

Page : 3 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Citric acid monohydrate	(CAS-No.) 5949-29-1 (EC-No.) 201-069-1;611-842-9 (REACH-no) 01-2119457026-42-0008	100	Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

### 3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measure	<u>s</u>	
Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.	
Inhalation	: Remove casualty to fresh air and keep warm and at rest. Give oxygen or artificial respiration if necessary. In case of doubt or persistent symptoms, consult always a physician. In case of inhalation of high concentrations : Get immediate medical advice/attention.	
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.</li> </ul>	
Eyes contact	<ul> <li>Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.</li> </ul>	
Ingestion	: Rinse mouth thoroughly with water. Give small amounts of water to drink. Do not induce vomiting without medical advice. In case of loss of conscience place the victim in the recovery position. Get medical advice/attention. On ingestion in large quantities: Get immediate medical advice/attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	: May cause respiratory irritation. The following symptoms may occur: Cough. Shortness of breath. Sore throat.	
Skin contact	: The following symptoms may occur: Contact with dust may cause mechanical irritation or drying of the skin.	
Eyes contact	: Causes serious eye irritation. The following symptoms may occur: Pain. Irritation. Redness. Tears.	
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.	
<b>4.3.</b> Indication of any immediate me Treat symptomatically.	dical attention and special treatment needed	

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Foam.	
Unsuitable extinguishing media	: Strong water jet.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	: Not flammable.	
Explosion hazard	: Dust may form explosive mixture in air.	

	SAFETY DATA SHEET	Page : 4 / 92	
		Revision nr : 2.0	
		Issue date : 25/03/2022	
	Citric acid monohydrate	Supersedes : 20/05/2020	
Hazardous decomposition products in : Carbon oxides (CO, CO2). case of fire			
5.3. Advice for firefighte	<u>rs</u>		
Firefighting instructions	<ul> <li>Evacuate area. Use water spray or fog for cooling the extinguishing fluids by bunding. Prevent fire f the environment.</li> </ul>	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.	
Protection during firefighting	<ul> <li>Do not attempt to take action without suitable propressure self-contained breathing apparatus (SCB protective clothing (EN 469).</li> </ul>	: Do not attempt to take action without suitable protective equipment. Positive pressure self-contained breathing apparatus (SCBA) and structural fire-fighters protective clothing (EN 469).	
Other information	Other information: Do not allow run-off from fire-fighting to enter drains or water courses.Dispose of waste in accordance with environmental legislation.		
<b>SECTION 6: Accidental rele</b>	ase measures		
6.1. Personal precaution	s, protective equipment and emergency procedures		
6.1.1. For non-emergency	personnel		
For non-emergency personn	el : Evacuate unnecessary personnel. Keep upwind. P Wear recommended personal protective equipme protective equipment to use, see section 8. Do no with skin, eyes and clothing.	rovide adequate ventilation. Int. Concerning personal t breathe dust. Avoid contact	
6.1.2. For emergency resp	onders		
For emergency responders	: Ensure procedures and training for emergency de are in place. Concerning personal protective equip	contamination and disposal oment to use, see section 8.	
6.2. Environmental precautions			
Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Stop leak if safe to do so. Dam up the solid spill. A	Avoid dust formation. Use	

only non-sparking tools. Use only explosion-proof equipment. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean-up methods - small spillage: Clean up immediately by sweeping or vacuum. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe dust. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Use only non-sparking tools. Use explosion-proof equipment. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

### Citric acid monohydrate

Page : 5 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

Hygiene measures		: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
<u>7.2.</u>	Conditions for safe storage	ge, including any incompatibilities
Storaç	ge conditions	Store in a dry, cool and well-ventilated place. Protect from heat and direct sunlight. Do not store near or with any of the incompatible materials listed in section 10. Opened containers must be carefully closed and kept upright to avoid leakage.
Storag	ge temperature	: 10 – 30 °C
Packa	ging materials	: Keep only in the original container.
7.3.	Specific end use(s)	

see attached exposure scenario.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Citric acid monohydrate (5949-29-1)		
PNEC (water)		
PNEC aqua (freshwater)	0,44 mg/l	
PNEC aqua (intermittent, freshwater)	0,044 mg/l	
PNEC (sediment)		
PNEC sediment (freshwater)	3,46 mg/kg dwt	
PNEC sediment (marine water)	34,6 mg/kg dwt	
PNEC (soil)		
PNEC soil	33,1 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	> 1000 mg/l	
Additional information	: Recommended monitoring procedures :. Personal air monitoring. Room air monitoring. Reference :. Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. (EN 689). Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents (EN 14042). Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents (EN 482). Ensure all national/local regulations are observed	
8.2. Exposure controls		
Engineering measure(s)	: Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. Apply measures to prevent dust explosions. See Section 7 for information on safe handling .	
Personal protective equipment	<ul> <li>The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</li> </ul>	

BEL

### Citric acid monohydrate

Page : 6 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Nitrile rubber. Thickness > 0,3mm. Breakthrough time : >8h. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields. tightly fitting safety goggles
Body protection	: Wear suitable protective clothing. Impervious clothing. Wear suitable coveralls to prevent exposure to the skin
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Effective dust mask (EN 149). Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: P (EN143). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self- contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powder. Granulate.	
Molecular weight	: 210,14 g/mol	
Colour	: White. Colourless.	
Odour	: odourless.	
Odour threshold	: No data available	
рН	: at 25°C	
	1.8 at g/l: 50	
pH solution	: Not available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting / freezing point	: 153 °C	
Freezing point	: No data available	
Initial boiling point and boiling range	: Not applicable - Decomposes before boiling (Decomposition temperature >175°C)	
Flash point	: Not applicable	
Auto-ignition temperature	: 1010 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable	
Vapour pressure	: 1.7 x 10-8 mm Hg (25°C / 77°F) (estimated)	
Vapour density	: No data available	
Relative density	: 1,54 (20°C)	
Density	: 1,54 g/cm <sup>3</sup>	
Solubility	<ul> <li>Soluble in: Ethanol. Partially soluble : Diethyl ether. Insoluble in: Benzene. Chloroform.</li> <li>Water: 776 g/l (25°C)</li> </ul>	
Partition coefficient n-octanol/water	: -1,67	
Kinematic viscosity	: No data available	

	SAFETY DATA SHEET	Page : 7 / 92	
	······································	Revision nr : 2.0	
		Issue date : 25/03/2022	
	Citric acid monohydrate	Supersedes : 20/05/2020	
Dupomio vieso situ	$\sim 2.540$ ePc 20.9/ Aguague colution (20%C)		
Dynamic viscosity	2,549 CFS 30 % Aqueous solution (20°C)		
Explosive properties	<ul> <li>Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.</li> </ul>		
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.		
Explosive limits	: 0,28 – 2,29 kg/m <sup>3</sup> (dust)		
Particle size	: Not available		
Particle size distribution	: Not available		
Particle shape	: Not available		
Particle aspect ratio	: Not available		
Particle aggregation state	: Not available		
Particle agglomeration state	: Not available		
Particle specific surface area	: Not available		
Particle dustiness	: Not available		

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)	: No data available
Additional information	: Molecular weight : 210,14 g/mole. Dust class : St(H)1

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None under normal conditions. Reference to other sections 10.4 & 10.5.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Dust may form explosive mixture in air.

#### 10.4. Conditions to avoid

Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section 7 for information on safe handling.

### 10.5. Incompatible materials

Oxidising agents. Reducing agent. Strong bases. metals. See Section 7 for information on safe handling.

### 10.6. Hazardous decomposition products

Reference to other sections 5.2.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

: Not classified (Based on available data, the classification criteria are not met)



### Citric acid monohydrate

Page : 8 / 92 Revision nr : 2.0

lssue date : 25/03/2022 Supersedes : 20/05/2020

Citric acid monohydrate (5949-29-1)	Citric acid monohydrate (5949-29-1)		
LD50/dermal/rat	> 2000 mg/kg (OECD 402)		
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)		
	mild skin irritation rabbit (72h)		
	pH: at 25°C 1.8 at g/l: 50		
Serious eye damage/irritation	: Causes serious eye irritation.		
	rabbit (72h)		
	pH: at 25°C 1.8 at g/l: 50		
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)		
	No sensitizing reaction was observed for guinea pigs		
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)		
	Rat Oral		
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	: May cause respiratory irritation.		
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)		
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)		
Citric acid monohydrate (5949-29-1)			
Kinematic viscosity	No data available		
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.		

### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
11.2.2 Other information	
Other information	<ul> <li>Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4</li> </ul>

SECTION 12: Ecological information		
<u>12.1. Toxicity</u>		
Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified	



### Citric acid monohydrate

Citric acid monohydrate (5949-29-1)		
LC50 - Fish [1]	> 440 mg/l	

### 12.2. Persistence and degradability

Citric acid monohydrate (5949-29-1)		
Persistence and degradability	Readily biodegradable.	
Citric acid monohydrate (5949-29-1)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	97 % (28d, OECD 301 B, OECD 301 E, OECD302 B)	

### 12.3. Bioaccumulative potential

Citric acid monohydrate (5949-29-1)	
Partition coefficient n-octanol/water	-1,67
Bioaccumulative potential	Low.

Citric acid monohydrate (5949-29-1)	
Bioaccumulative potential	Low potential.

### 12.4. Mobility in soil

Citric acid monohydrate (5949-29-1)	
Mobility in soil	No data available

### 12.5. Results of PBT and vPvB assessment

Component	
Citric acid monohydrate (5949-29-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties	:	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
12.7. Other adverse effects		
Other adverse effects	:	No data available



### Citric acid monohydrate

Page : 10 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.
European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)	<ul> <li>This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities</li> </ul>

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	IATA	ADN	RID
<u>14.1. UN number</u>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper ship	ping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport haza	rd class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	No sup	plementary information	available	

### 14.6. Special precautions for user

Special precautions for user

: No data available

### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

### - Inland waterway transport

Not applicable

### - Rail transport

### Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC

: No data available.





### **Citric acid monohydrate**

Page : 11 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Citric Acid Monohydrate Granular Citric Acid Monohydrate Fine Granular is not on the REACH Candidate List Citric Acid Monohydrate Granular Citric Acid Monohydrate Fine Granular is not on the REACH Annex XIV List

### 15.1.2. National regulations

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on the Canadian DSL (Domestic Substances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### France

No ICPE	Installations classées Désignation de la rubric	jue	Code Régime	Rayon	
na	Not Applicable		na	na	
Germany					
Regulatory ref	erence	: WGK 1, Slightly hazardous to water (Classification a	according to Aw	/SV)	
German storag	ge class (LGK)	: LGK 13 - Non-combustible solids			
Hazardous Incident Ordinance (12. BImSchV)		: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)			
Netherlands					
Waterbezwaar	lijkheid	: B (5) - Weinig schadelijk voor in het water levende o	organismen		
SZW-lijst van l stoffen	kankerverwekkende	: The substance is not listed			
SZW-lijst van i	mutagene stoffen	: The substance is not listed			
SZW-lijst van ı Borstvoeding	reprotoxische stoffen –	: The substance is not listed			
SZW-lijst van i Vruchtbaarhei	reprotoxische stoffen – d	: The substance is not listed			
SZW-lijst van i Ontwikkeling	reprotoxische stoffen –	: The substance is not listed			
Denmark					
Recommendat	tions Danish Regulation	: Young people below the age of 18 years are not allo	owed to use the	e product	

Not applicable

	SAFETY DATA SHEET	Page : 12 / 92 Revision nr : 2.0 Issue date : 25/03/2022
	Citric acid monohydrate	Supersedes : 20/05/2020

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes:			
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.3	ED	Added	
3	Composition/informat ion on ingredients	Modified	
4.2	Inhalation	Modified	
4.3	Indication of any immediate medical attention and special treatment needed	Modified	
6.1	For non-emergency personnel	Modified	
7.1	Precautions for safe handling	Modified	
8.2	Respiratory protection	Modified	
9.2	Information with regard to physical hazard classes	Added	
9.2	Other safety characteristics		
11.1	STOT-single exposure	Added	
11.2	Adverse health effects caused by endocrine disrupting properties	Added	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
14.7	Maritime transport in bulk according to IMO instruments	Added	
	Exposure scenarios	Modified	ES3 Amounts used

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du
Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals



### **Citric acid monohydrate**

Page : 13 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : ECHA (European Chemicals Agency), loli, sds supplier. datasheet

Training advice

: Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.



### Citric acid monohydrate

Page : 14 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

### Annex to the safety data sheet

Annex : Identified uses						
Title	Sector of use	Product category	Process category	Article category	Environment al release	SPERC
Manufacture of substance	SU8	PC19	PROC1, PROC2, PROC3, PROC4, PROC8b		ERC1	
Use as an intermediate	SU8, SU9	PC19	PROC1, PROC2, PROC3, PROC4, PROC8b		ERC6a	
Formulation of preparations	SU5, SU10, SU13, SU20	PC1, PC3, PC9a, PC9b, PC9c, PC12, PC18, PC30, PC31, PC35, PC39	PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC7, PROC8a, PROC8b, PROC9, PROC13, PROC14, PROC15, PROC19		ERC1, ERC2, ERC3, ERC4	
Personal care	SU20	PC2, PC39	PROC10, PROC11, PROC19	AC8	ERC8a, ERC11a	
Personal care	SU20	PC2, PC39	PROC10, PROC11, PROC19	AC8	ERC8a, ERC11a	
Personal care	SU20	PC2, PC39		AC8	ERC8a, ERC11a	
Use in cleaning agents	SU3	PC3, PC28, PC31, PC35, PC36, PC37	PROC2, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13	AC8, AC35	ERC2, ERC4, ERC8a, ERC8b, ERC9a, ERC9b	
Use in cleaning agents	SU3	PC3, PC28, PC31, PC35, PC36, PC37	PROC1, PROC4, PROC8a, PROC9, PROC10, PROC11, PROC13, PROC19	AC8, AC35	ERC2, ERC4, ERC8a, ERC8d, ERC9a, ERC9b	



Citric acid monohydrate

Page : 15 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

Use in cleaning agents	SU21	PC3, PC28, PC31, PC35, PC36, PC37		AC8, AC35	ERC8a, ERC8d, ERC9a, ERC9b
Paper industry	SU6b	PC26	PROC5, PROC8a		ERC4
construction application	SU2a, SU2b, SU10, SU19		PROC2, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC13, PROC14, PROC19, PROC21, PROC24	AC4	ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b, ERC12a
construction application	SU2a, SU2b, SU10, SU19		PROC2, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC14, PROC19, PROC21, PROC24	AC4	ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b, ERC12a
construction application	SU2a, SU2b, SU10, SU19	PC1, PC9b		AC4	ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b
Use in polymer production Manufacture of plastics	SU11, SU12	PC32	PROC3, PROC5, PROC8a, PROC8b		ERC1, ERC6b
Oil field well drilling and production operations	SU2a, SU2b	PC20, PC40	PROC3, PROC4, PROC5, PROC8a, PROC8b		ERC8d
textiles	SU5	PC20, PC23, PC34	PROC8a, PROC8b, PROC10, PROC13, PROC22	AC5, AC6	ERC4
Uses in coatings, Paints	SU17, SU18, SU19	PC9a, PC9b, PC9c, PC18, PC34	PROC7, PROC8a, PROC8b, PROC10,	AC4, AC11	ERC5, ERC8c, ERC8f, ERC10a, ERC10b,



Page : 16 / 92 Revision nr : 2.0

Citric acid monohydrate

Issue date : 25/03/2022 Supersedes : 20/05/2020

			PROC11, PROC19, PROC21, PROC24		ERC11a, ERC11b
Uses in coatings, Paints	SU17, SU18, SU19	PC9a, PC9b, PC18, PC34	PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC21, PROC24	AC4, AC11	ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b
Uses in coatings, Paints	SU17, SU18, SU19, SU21	PC9a, PC18, PC34		AC4, AC11	ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b
Photographic activities	SU20	PC30	PROC5, PROC9, PROC13		ERC8a
Photographic activities	SU20	PC30			ERC8a
Use as laboratory reagent	SU3	PC4, PC16, PC20, PC37	PROC1, PROC2, PROC4, PROC8a		ERC4, ERC7, ERC8f
Use in water treatment agents	SU14, SU15, SU16, SU17	PC4, PC7, PC14, PC16, PC17, PC20, PC25, PC31, PC35, PC37	PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC13, PROC17, PROC18, PROC20, PROC23		ERC4, ERC6b, ERC7
Metal surface treatment products	SU14, SU15, SU16, SU17	PC7, PC14, PC25, PC31, PC35	PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC13, PROC17, PROC18, PROC23		ERC4, ERC6b
agriculture	SU1	PC8, PC12, PC21	PROC3, PROC5, PROC8a,		ERC2, ERC4, ERC8b, ERC8d



### Citric acid monohydrate

Page : 17 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

			PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19		
agriculture	SU1	PC8, PC12, PC21	PROC3, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19	ERC2, ERC4, ERC8b, ERC8d	
agriculture	SU1	PC8, PC12, PC21		ERC8b, ERC8d	
Medical devices	SU20	PC20	PROC1	ERC7	
Medical devices	SU22	PC20	PROC1	ERC7	
Medical devices	SU21	PC20		ERC7	

### 1. Exposure scenario 01

### Manufacture of substance

ES Ref.: 01 ES Type: Worker Version: 1

 Use descriptors
 PROC1, PROC2, PROC3, PROC4, PROC8b

 PC19
 SU8

 ERC1
 Use as an intermediate

 Use at industrial sites (IS)
 See section 3 of this exposure scenario.

2. Operational conditions and risk management measures

• • • •	
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes wi containment conditions	ith equivalent

#### Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	350
	Exposure duration	1 events per day
	Exposure duration	> 4 h



Citric acid monohydrate

Revision nr : 2.0

Page : 18 / 92

Issue date : 25/03/2022 Supersedes : 20/05/2020

Human factors not influenced by risk management	Body weight:	70 kg
		Default
	respiration volume (under conditions of use)	10 m³/d
		Default
	Covers skin contact area up to	Palm of one hand (240cm <sup>2</sup> )
Other given operational conditions affecting workers	Ventilation control measures	Not applicable.
exposure	Assumes a good basic standard of occupational hygiene is implemented.	

Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	
2.1.2 Contributing scenario controlling worker ex	posure (PROC2, PROC4)	

PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC4	Chemical production where opportunity for exposure arises

### Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

### Operational conditions

Frequency and duration of use	Emission days (days/year):	350
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d Default
	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational bygiene is implemented	

Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection,Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	
2.1.3 Contributing scenario controlling worker exposure (PROC3)		

	5 1 ( )
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure
	or processes with equivalent containment condition



### Citric acid monohydrate

Page : 19 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

Frequency and duration of use	Emission days (days/year):	350
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d Default
	Covers skin contact area up to	Palm of one hand (240cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational	

Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing	
	apparatus	
	SDS.	
0.1.4 Contributing according controlling workers		

### 2.1.4 Contributing scenario controlling worker exposure (PROC8b) PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

#### **Operational conditions**

Frequency and duration of use	Emission days (days/year):	350
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m³/d Default
	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 95%
	Assumes a good basic standard of occupational hygiene is implemented.	

# Risk management measures Conditions and measures related to personal protection, hygiene and health evaluation Assumes a good basic standard of occupational hygiene is implemented. Wear protective gloves/protective clothing and eye/face protection. Wear suitable respiratory protection,Effective dust



Citric acid monohydrate

Page : 20 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

			mask	
			In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
			For further specification, refer to section 8 of the SDS.	
2.2	Contributing scena	ario controlling environme	ntal exposure (ERC1)	
ERC1		Manufacture of the substa	nce	

### Product characteristics

No additional information

#### Operational conditions

Amount used	Amounts used	100000 t/yr
	Regional use tonnage (tons/year):	10000 t/yr
	Annual site tonnage (tons/year):	10000 t/yr
	Fraction of regional tonnage used locally:	30 tonnes/day
Environmental factors not influenced by risk management	Local freshwater dilution factor:	900
	Local marine water dilution factor:	1000
Other given operational conditions affecting environmental exposure	Release fraction to air from process (initial release prior to RMM):	0
	Release fraction to wastewater from process (initial release prior to RMM):	0,0001

#### Risk management measures

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil	Waste water pretreatment	Neutralisation is necessary before draining of to the purification plant
	Waste water treatment	Central biological waste water treatment
	Assumed on-site sewage treatment plant flow (m3/d):	10000 m³/d
Conditions and measures related to sewage treatment plant	none	
Conditions and measures related to external treatment of waste for disposal	Fraction of used amount transferred to external waste treatment	No specific data
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

### 3. Exposure estimation and reference to its source

### 3.1. Health

Information for contributing exposure scenario			
2.1.1		Used ECETOC TRA model (May 2010 release)	
2.1.2		Used ECETOC TRA model (May 2010 release)	
2.1.3		Used ECETOC TRA model (May 2010 release)	
2.1.4		Used ECETOC TRA model (May 2010 release)	
3.2.	Environment		
Information for contributing exposure scenario			

Information for contributing exposure scenario		
2.2	EUSES	

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health		
Guidance - Heal	h	No data available



### Citric acid monohydrate

Page : 21 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

4.2.	Environment	
Guidance - Environment		Predicted exposures are not expected to exceed the PNECs when the Risk Management
		Measures/Operational Conditions outlined in Section 2 are implemented.



### Citric acid monohydrate

Page : 22 / 92 Revision nr: 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 02

### Use as an intermediate

ES Ref.: 02 ES Type: Worker Version: 1

Use descriptors	PROC1, PROC2, PROC3, PROC4, PROC8b PC19 SU8, SU9 ERC6a
Processes, tasks activities covered	Use as an intermediate Manufacture of bulk, large scale chemicals (including petroleum products) Manufacture of fine chemicals Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

#### 2. Operational conditions and risk management measures 2.1.1 Contributing scenario controlling worker exposure (PROC1) PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent nditions

Product characteristics		
Physical form	Crystalline solid, Powder	
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)	
Other product characteristics	Risk of dust explosion, Irritating	

#### **Operational conditions**

. . . . . . . . .

Frequency and duration of use	Emission days (days/year):	300	
	Exposure duration	1 events per day	
	Exposure duration	> 4 h	
Human factors not influenced by risk management	Covers skin contact area up to	Palm of one hand (240cm <sup>2</sup> )	
Other given operational conditions affecting workers	Ventilation control measures	Not applicable.	
exposure	Assumes a good basic standard of occupational hygiene is implemented.		

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment, (Dust/Mist), At high concentrations: Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

#### 2.1.2 Contributing scenario controlling worker exposure (PROC2)

PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes		
	with equivalent containment conditions		

Product characteristics		
Physical form	Crystalline solid, Powder	
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)	
Other product characteristics	Risk of dust explosion, Irritating	



### Citric acid monohydrate

Page : 23 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

**Operational conditions** 300 Frequency and duration of use Emission days (days/year): Exposure duration 1 events per day Exposure duration >4 h Human factors not influenced by risk management Covers skin contact area up to Palms of both hands (480 cm2) Other given operational conditions affecting workers with local exhaust ventilation Local exhaust ventilation efficiency of at least [%]: 90% exposure Assumes a good basic standard of occupational hygiene is implemented.

Risk management measures			
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.		
	Wear protective gloves/protective clothing and eye/face protection.		
	Wear suitable respiratory protection, Effective dust mask		
	In case of insufficient ventilation, wear suitable respiratory equipment, (Dust/Mist), At high concentrations: Use self-contained breathing apparentus		
	For further specification, refer to section 8 of the SDS.		
2.1.3 Contributing scenario controlling worker exposure (PROC3)			

PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure
	or processes with equivalent containment condition

#### Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Covers skin contact area up to	Palm of one hand (240cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eve/face protection.	
	Wear suitable respiratory protection,Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	
2.1.4 Contributing scenario controlling worker exposure (PROC4)		
PROC4 Chemical production	n where opportunity for exposure arises	
Product characteristics		

Physical form	Crystalline solid, Powder



**Citric acid monohydrate** 

Revision nr : 2.0 Issue date : 25/03/2022

Page: 24 / 92

Supersedes : 20/05/2020

Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

Operational	conditions
-------------	------------

Frequency and duration of use	Emission days (days/year):	300	
	Exposure duration	1 events per day	
	Exposure duration	> 4 h	
Human factors not influenced by risk management	Covers skin contact area up to	Palms of both hands (480 cm2)	
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%	
	Assumes a good basic standard of occupational hygiene is implemented.		

### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

### 2.1.5 Contributing scenario controlling worker exposure (PROC8b)

PROC8b

Transfer of substance or mixture (charging and discharging) at dedicated facilities

#### Product characteristics

Physical form	Crystalline solid, Powder
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)
Other product characteristics	Risk of dust explosion, Irritating

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 95%
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

-		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	
2.2 Contributing scenario controlling environmental exposure (ERC6a)		
Intermediate		



### **Citric acid monohydrate**

Page : 25 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

ERC6a

Use of intermediate

#### Product characteristics

.. .

No additional information

....

Operational conditions		
Amount used	Amounts used	100000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

Risk management measures		
Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil	Waste water pretreatment	Neutralisation is necessary before draining of to the purification plant
	Waste water treatment	Central biological waste water treatment
Conditions and measures related to sewage treatment plant	none	
Conditions and measures related to external treatment of waste for disposal	Fraction of used amount transferred to external waste treatment	No specific data
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

### 3. Exposure estimation and reference to its source

### 3.1. Health

Information for	puting exposure scenario	
2.1.1	Used ECETOC TRA model (May 2010 release)	
2.1.2	Used ECETOC TRA model (May 2010 release)	
2.1.3	Used ECETOC TRA model (May 2010 release)	
2.1.4	Used ECETOC TRA model (May 2010 release)	
2.1.5	Used ECETOC TRA model (May 2010 release)	
3.2. Enviro	t	
Information for	puting exposure scenario	
2.2	EUSES	

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

SAFETY DATA SHEET	Page : 26 / 92 Revision nr : 2.0 Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

### 1. Exposure scenario 03

Formulation of preparations		ES Ref.: 03	
		ES Type: Worker	
		Version: 1	
Use descriptors	PROC1, PROC2, PROC14, PROC1	PROC3, PROC4, PROC5, PROC7, PRO 5, PROC19	C8a, PROC8b, PROC9, PROC13,
	PC1, PC3, PC9a,	PC9b, PC9c, PC12, PC18, PC30, PC31,	PC35, PC39
	SU5, SU10, SU13	3, SU20	
	ERC1, ERC2, ER	C3, ERC4	
Processes, tasks activities covered	Adhesives, Sealants Air care products Coatings and paints Fillers and putty thinners Fertilizers Ink and toners Photochemicals Washing and cleaning products (including solvent based products) Cosmetics, personal care products Manufacture of textiles, leather, fur Formulation [mixing] of preparations and/or re-packaging (excluding alloys) Manufacture of other non-metallic mineral products, e.g. plasters, cement Health services		
	Use at industrial sites (IS)		
Assessment method	see section 3 of th	nis exposure scenario.	
2 Operational conditions and risk ma	nagement mea	SUIRES	
2.1.1 Contributing scenario controlling wor	ker exposure (PRC	0C1)	
Washing and cleaning products (including solven	t based products). A	Automotive Care (spray, liquid)	
PROC1 Chemical production containment condition	on or refinery in clos ions	ed process without likelihood of exposure	or processes with equivalent
Product characteristics			
Physical form	Crystalline	solid, Powder	
Other product characteristics	Risk of du	Risk of dust explosion, Irritating, fugacity, High	
Operational conditions			
Frequency and duration of use	Emission	days (days/year):	300
	Exposure	duration	1 events per day
	Exposure	duration	> 4 h
Human factors not influenced by risk managemen	nt Body weig	ht:	70 kg
	respiration	volume (under conditions of use)	10 m³/d
	Covers sk	in contact area up to	Palm of one hand (240cm <sup>2</sup> )
Other given operational conditions affecting workers         Local exh           exposure         Assumes           hygiene is         hygiene is		aust ventilation a good basic standard of occupational implemented.	Not applicable.
Risk management measures			
Conditions and measures related to personal	Assumes	a good basic standard of occupational	
איסובטוטה, האטובחים מהט הפמונה פימוטמוטה	Wear prote	ective gloves/protective clothing and rotection.	
For fu		specification, refer to section 8 of the	

#### 2.1.2 Contributing scenario controlling worker exposure (PROC2, PROC4, PROC5, PROC8b, PROC9, PROC14)

Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)



Citric acid monohydrate

Page : 27 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC4	Chemical production where opportunity for exposure arises
PROC5	Mixing or blending in batch processes
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
PROC14	Tabletting, compression, extrusion, pelettisation, granulation

#### Product characteristics

Physical form	Crystalline solid, Powder
Other product characteristics	Risk of dust explosion, Irritating, fugacity, High

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d
	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	For further specification, refer to section 8 of the SDS.	
2.1.3 Contributing scenario controlling worke	r exposure (PBOC3_PBOC15)	

Washing and cleaning products (including solvent based products) Automotive Care (spray, liquid)	
Traching and cloaning produ	
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure
	or processes with equivalent containment condition
PROC15	Use as laboratory reagent

#### Product characteristics

Physical form	Crystalline solid, Powder
Other product characteristics	Risk of dust explosion, Irritating, fugacity, High

### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d
	Covers skin contact area up to	Palm of one hand (240cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

## Risk management measures Conditions and measures related to personal protection, hygiene and health evaluation Assumes a good basic standard of occupational hygiene is implemented. Wear protective gloves/protective clothing and Wear protective gloves/protective clothing and



Citric acid monohydrate

Page : 28 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

		eye/face protection.	
		For further specification, refer to section 8 of the	
000.			
2.1.4 Contributing scenario controlling worker exposure (PROC7)			
Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)			
PROC7	Industrial spraying		

<b>-</b> · ·	
Product	characteristics
1 10000	onulationstics

Physical form	Crystalline solid, Powder	
Other product characteristics	Risk of dust explosion, Irritating, fugacity, High	

#### **Operational conditions**

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m³/d
	Covers skin contact area up to	both hands and forearms (1500 cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	For further specification, refer to section 8 of the SDS.	
2.1.5 Contributing cooperin controlling worker		

#### 2.1.5 Contributing scenario controlling worker exposure (PROC8a)

Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)		
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	

### Product characteristics

Physical form	Crystalline solid, Powder
Other product characteristics	Risk of dust explosion, Irritating, fugacity, High

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d
	Covers skin contact area up to	Both hands (960 cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	For further specification, refer to section 8 of the SDS.	



### **Citric acid monohydrate**

Page : 29 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

### 2.1.6 Contributing scenario controlling worker exposure (PROC13)

Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)	
PROC13	Treatment of articles by dipping and pouring

Product characteristics		
Physical form	Crystalline solid, Powder	
Other product characteristics	Risk of dust explosion, Irritating, fugacity, Low	

### Operational conditions

•		
Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m³/d
	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.
	Wear protective gloves/protective clothing and eye/face protection.
	For further specification, refer to section 8 of the SDS.
2.1.7 Contributing scenario controlling worker exposure (PROC19)	

### Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)

PROC19 Manual activities involving hand contact

## Product characteristics Physical form Crystalline solid, Powder Other product characteristics Risk of dust explosion, Irritating, fugacity, Low

#### Operational conditions

Frequency and duration of use	Emission days (days/year):	300
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Body weight:	70 kg
	respiration volume (under conditions of use)	10 m³/d
	Covers skin contact area up to	both hands and forearms (1980 cm <sup>2</sup> )
Other given operational conditions affecting workers exposure	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 90%
	Assumes a good basic standard of occupational hygiene is implemented.	

### Risk management measures

Conditions and measures related to personal	Assumes a good basic standard of occupational	
protection, hygiene and health evaluation	Wear protective gloves/protective clothing and	
	eye/face protection.	
	For further specification, refer to section 8 of the	
	SDS.	

#### 2.2 Contributing scenario controlling environmental exposure (ERC1, ERC2, ERC3, ERC4)

Adhesives, sealants. Air care products. Coatings and paints, fillers, putties, thinners. Fertilizers. Ink and Toners. Photochemicals. Polishes and wax blends. Washing and cleaning products (including solvent based products). Cosmetics, personal care products



### Citric acid monohydrate

Page : 30 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

ERC1	Manufacture of the substance
ERC2	Formulation into mixture
ERC3	Formulation into solid matrix
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Daily amount per site	20 tonnes/day
	Annual site tonnage (tons/year):	6000 t/yr
Frequency and duration of use	Emission days (days/year):	300 days/year
Other given operational conditions affecting environmental exposure	Release fraction to air from process (initial release prior to RMM):	0,025
	Release fraction to wastewater from process (initial release prior to RMM):	0,02

#### Risk management measures

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil	Waste water pretreatment	Neutralisation is necessary before draining of to the purification plant
	Waste water treatment	No specific data
	Assumed on-site sewage treatment plant flow (m3/d):	10000 m³/d
Conditions and measures related to sewage treatment plant	External waste treatment	Applicable
Conditions and measures related to external treatment of waste for disposal	Fraction of used amount transferred to external waste treatment	No specific data
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

### 3. Exposure estimation and reference to its source

### 3.1. Health

Informatio	on for contributing exposure scenario
2.1.1	Used ECETOC TRA model (May 2010 release)
2.1.2	Used ECETOC TRA model (May 2010 release)
2.1.3	Used ECETOC TRA model (May 2010 release)
2.1.4	Used ECETOC TRA model (May 2010 release)
2.1.5	Used ECETOC TRA model (May 2010 release)
2.1.6	Used ECETOC TRA model (May 2010 release)
2.1.7	Used ECETOC TRA model (May 2010 release)
3.2. E	Invironment

Information for contributing	g exposure scenario
2.2	EUSES

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

### 4.1. Health

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

### Citric acid monohydrate

Page : 31 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 04a

### **Personal care**

ES Ref.: 04a
ES Type: Worker
Version: 1

Use descriptors	PROC10, PROC11, PROC19
	PC2, PC39
	AC8
	SU20
	ERC8a, ERC11a
Processes, tasks activities covered	Health services Cosmetics, personal care products Adsorbents
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

### 2. Operational conditions and risk management measures

### 2.1 Contributing scenario controlling worker exposure (PROC10, PROC11, PROC19)

Personal care: Exempted from REACH		
PROC10	Roller application or brushing	
PROC11	Non industrial spraying	
PROC19	Manual activities involving hand contact	

### Product characteristics

No additional information

#### **Operational conditions**

No additional information

#### Risk management measures

No additional information

### 2.2 Contributing scenario controlling environmental exposure (ERC8a, ERC11a)

ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC11a	Widespread use of articles with low release (indoor)

### Product characteristics

No additional information

#### **Operational conditions**

r		
Amount used	Amounts used	7500000 t/yr
	Fraction of EU tonnage used in region:	0,1
	Regional use tonnage (tons/year):	750000 t/yr
	Fraction of regional tonnage used locally:	7500 t/yr
Frequency and duration of use	Emission days (days/year):	365 days/year
Environmental factors not influenced by risk	Local freshwater dilution factor:	900
management	Local marine water dilution factor:	1000
Other given operational conditions affecting environmental exposure	Release fraction to air from process (initial release prior to RMM):	0
	Release fraction to wastewater from process (initial release prior to RMM):	1

#### Risk management measures

5		
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

	SAFETY DATA SHEET	Page : 32 / 92
		Revision nr : 2.0
		Issue date : 25/03/2022
	Citric acid monohydrate	Supersedes : 20/05/2020

### 3. Exposure estimation and reference to its source

3.1.	Health		
Informa	Information for contributing exposure scenario		
2.1		Not applicable.	
3.2.	3.2. Environment		
Information for contributing exposure scenario			
2.2		EUSES	

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	Not applicable
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



### **Citric acid monohydrate**

Page : 33 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 04b

### **Personal care**

ES Ref.: 04b	
ES Type: Worker	
Version: 1	

Use descriptors	PROC10, PROC11, PROC19
	PC2, PC39
	AC8
	SU20
	ERC8a, ERC11a
Processes, tasks activities covered	Health services Cosmetics, personal care products Adsorbents
	Widespread use by professional workers (PW)
Assessment method	see section 3 of this exposure scenario.

### 2. Operational conditions and risk management measures

### 2.1 Contributing scenario controlling worker exposure (PROC10, PROC11, PROC19)

Personal care: Exempted from REACH		
PROC10	Roller application or brushing	
PROC11	Non industrial spraying	
PROC19	Manual activities involving hand contact	

### Product characteristics

No additional information

#### **Operational conditions**

No additional information

#### Risk management measures

No additional information

### 2.2 Contributing scenario controlling environmental exposure (ERC8a, ERC11a)

ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC11a	Widespread use of articles with low release (indoor)

### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	7500000 t/yr
	Fraction of EU tonnage used in region:	0,1
	Regional use tonnage (tons/year):	750000 t/yr
	Fraction of regional tonnage used locally:	7500 t/yr
Frequency and duration of use	Emission days (days/year):	365 days/year
Environmental factors not influenced by risk	Local freshwater dilution factor:	900
management	Local marine water dilution factor:	1000
Other given operational conditions affecting environmental exposure	Release fraction to air from process (initial release prior to RMM):	0
	Release fraction to wastewater from process (initial release prior to RMM):	1

#### Risk management measures

5		
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

	SAFETY DATA SHEET	Page : 34 / 92 Revision nr : 2.0 Issue date : 25/03/2022
BEL	Citric acid monohydrate	Supersedes : 20/05/2020

### 3. Exposure estimation and reference to its source

3.1.	Health	
Informa	ation for contributing	exposure scenario
2.1		Not applicable.
3.2.	Environment	
Informa	ation for contributing	exposure scenario
2.2		EUSES

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	Not applicable
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

SAFETY DATA SHEET	Page : 35 / 92
	Revision nr : 2.0
	Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

1. Exposure scenario 04c

### **Personal care**

ES Ref.: 04c ES Type: Consumer Version: 1

Use descriptors	PC2, PC39
	AC8
	SU20
	ERC8a, ERC11a
Processes, tasks activities covered	Consumer uses e.g. as a carrier in cosmetics/personal care products, perfumes and fragrances. Note: For cosmetic and personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation Health services Adsorbents
	Consumer use (C)
Assessment method	see section 3 of this exposure scenario.

### 2. Operational conditions and risk management measures

2.1 Contril	uting scenario consumer end-use (PC2, PC39)
Health services	dsorbents, Cosmetics, personal care products
PC2	Adsorbents
PC39	Cosmetics, personal care products

### Product characteristics

No additional information

Operational conditions		
Other given operational conditions affecting consumers exposure	Exempted : used in cosmetics products and substance not PBT or vPvB	
Risk management measures		

Conditions and measures related to information and behavioural advice to consumers		Not applicable	
2.2 Contributing scena	ario controlling environme	ntal exposure (ERC8a, ERC11a)	
Adsorbents, Cosmetics, pers	onal care products t measure identified beyond	those operational conditions stated.	
ERC8a	Widespread use of non-rea	active processing aid (no inclusion into or onto article, in	door)
ERC11a	Widespread use of articles	with low release (indoor)	

### Product characteristics

No additional information

### Operational conditions

Amountused	Annual site tonnage (tons/year):	7500000
Amount used	Ailluai sile toillage (toils/year).	7300000
Frequency and duration of use	Continuous use/release.	365 days/year
Environmental factors not influenced by risk	Local freshwater dilution factor:	900
management	Local marine water dilution factor:	1000
Other given operational conditions affecting	Fraction of EU tonnage used in region:	10 %
environmental exposure	Regional use tonnage (tons/year):	750000 t/yr
	Fraction of regional tonnage used locally:	7500 t/yr
	Daily amount per site, (average)	1030 kg/day
	Fraction of the main local source	0,0005

Risk management measures		
Conditions and measures related to external recovery	Solid waste	Can be landfilled or incinerated, when in

(c)CITR
BEL

### **Citric acid monohydrate**

Page : 36 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

of waste		compliance with local
		regulations.
	Recover sludge.	Fertilizers

### 3. Exposure estimation and reference to its source

### 3.1. Health

Information for contributing exposure scenario		
2.1	Not applicable.	
3.2. Environment		
Information for contributing exposure scenario		
2.2	EUSES	

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

# 4.1. Health Guidance - Health Not applicable 4.2. Environment Guidance - Environment Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.


# Citric acid monohydrate

Page : 37 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 05a

Use in cleaning agents		ES Ref.: 05a			
			ES Type: Worker		
			Version. 1		
Use descriptors	PRO	C2. PROC4.	PROC7. PROC8a. PROC8b. PROC9. PRO	DC10. PROC13	
	PC3.	PC28, PC31	I, PC35, PC36, PC37		
	AC8	AC35			
	SU3				
	ERC	2, ERC4, ER	C8a, ERC8b, ERC9a, ERC9b		
Processes, tasks activities co	overed Air c Auto Perfu	are products motive Care umes. Fragra	e products otive Care (spray, liquid) nes, Fragrances		
	Polis Was	nes and Wax Blends ning and cleaning products (including solvent based products) r softeners			
	Wate	treatment chemicals			
	Use	at industrial s	t industrial sites (IS)		
Assessment method	sees	section 3 of th	ction 3 of this exposure scenario.		
2 Operational condition	one and risk manage	ment mea	SIIRAS		
2.1.1 Contributing scena	ario controlling worker ex	posure (PRC	DC2. PROC4)		
Washing and cleaning produ	cts (including solvent based	d products). A	Automotive Care (spray, liquid)		
PROC2	Chemical production or re	finery in clos	ed continuous process with occasional con	trolled exposure or processes	
	with equivalent containment conditions				
PROC4 Chemical production where		re opportunity	y for exposure arises		
Product characteristics					
Physical form		Granular s	olid, Aqueous solution		
Concentration of the Substance in Mixture/Article		> 25 %			
		Unless oth	nerwise stated		
Other product characteristics		fugacity, L	ow		
Operational conditions					
Frequency and duration of us	se	Emission of	days (days/year):	365	
		Exposure	duration	1 events per day	
		Exposure	duration	> 4 h	
Other given operational conditions affecting workers		Local exha	aust ventilation	Not applicable.	
exposure		Assumes a hygiene is	a good basic standard of occupational implemented.		
Diele management massures					
Conditions and measures related to personal     Assumes a good basis standard of occupational					
protection, hygiene and heal	th evaluation	hygiene is	implemented.		
		Wear glov	es,Safety glasses,Wear work clothes with		
		For further	r specification, refer to section 8 of the		
		SDS.			
2.1.2 Contributing scena	ario controlling worker ex	posure (PRC	DC7)		
Washing and cleaning products (including solvent based		a products). <i>F</i>	Automotive Care (spray, liquid)		
PROG/ Industrial spraying					
Product characteristics					
Physical form		Granular s	Granular solid, Aqueous solution		
Concentration of the Substar	nce in Mixture/Article	> 25 %			
		Linless oth	Unless otherwise stated		



# Citric acid monohydrate

Page : 38 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

Other product characteristics		fugacity, High		
Operational conditions				
Frequency and duration of use		Emission days (days/year):	365	
		Exposure duration	1 events per day	
		Exposure duration	> 4 h	
Human factors not influenced	d by risk management	Covers skin contact area up to	both hands and forearms (1500 cm <sup>2</sup> )	
Other given operational conc exposure	litions affecting workers	with local exhaust ventilation	Local exhaust ventilation - efficiency of at least [%]: 95%	
		Assumes a good basic standard of occupational hygiene is implemented.		
Risk management measures	i de la companya de l			
Conditions and measures rel protection, hygiene and heal	ated to personal th evaluation	Assumes a good basic standard of occupational hygiene is implemented.		
		Wear gloves, Safety glasses, Wear work clothes with		
		long sleeves.		
		SDS.		
2.1.3 Contributing scena	ario controlling worker exp	oosure (PROC8a, PROC10)		
Washing and cleaning produ	cts (including solvent based	products). Automotive Care (spray, liquid)		
PROC8a	Transfer of substance or n	nixture (charging and discharging) at non-dedicated facil	ities	
PROC10	Roller application or brush	ing		
Product characteristics				
Physical form		Granular solid, Aqueous solution		
Concentration of the Substar	nce in Mixture/Article	> 25 %	> 25 %	
		Unless otherwise stated		
Other product characteristics		fugacity, Low		
Frequency and duration of use		Emission davs (davs/vear):	365	
		Exposure duration	1 events per dav	
		Exposure duration	>4 h	
Human factors not influenced	d by risk management	Covers skin contact area up to	Both hands (960 cm <sup>2</sup> )	
Other given operational cond	litions affecting workers	Local exhaust ventilation	Not applicable.	
exposure		Assumes a good basic standard of occupational hygiene is implemented.		
Risk management measures				
Conditions and measures related to personal protection, hygiene and health evaluation		Assumes a good basic standard of occupational hygiene is implemented.		
		Wear gloves, Safety glasses, Wear work clothes with		
		For further specification, refer to section 8 of the		
		SDS.		
2.1.4 Contributing scenario controlling worker exposure (PROC8b, PROC9, PROC13)				
Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)				
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities				
PROC9 Transfer of substance or pr		reparation into small containers (dedicated filling line, including weighing)		
PROC13 Treatment of articles by dip		pping and pouring		
Product characteristics				
Physical form		Granular solid, Aqueous solution		
Concentration of the Substance in Mixture/Article		> 25 %		
		Unless otherwise stated		
Other product characteristics		fugacity, Low		



# Citric acid monohydrate

Page : 39 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

Operational	conditions
-------------	------------

Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	> 4 h
Human factors not influenced by risk management	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers	Local exhaust ventilation	Not applicable.
exposure	Assumes a good basic standard of occupational hygiene is implemented.	

Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear gloves, Safety glasses, Wear work clothes with long sleeves.	
	For further specification, refer to section 8 of the SDS.	

2.2	Contributing Scena	and controlling environmental exposure (Enc2, Enc4, Encoa, Encoa, Encoa)
ERC2		Formulation into mixture
ERC4		Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC8a		Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8b		Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC9a		Widespread use of functional fluid (indoor)
ERC9b		Widespread use of functional fluid (outdoor)

#### Product characteristics

Other product	characteristics

Readily biodegradable

Operational conditions		
Amount used	Amounts used	100000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

#### Risk management measures

Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil	Waste water pretreatment	Neutralisation is necessary before draining of to the purification plant
	Waste water treatment	Central biological waste water treatment
Conditions and measures related to sewage treatment plant	none	
Conditions and measures related to external treatment of waste for disposal	Fraction of used amount transferred to external waste treatment	No specific data
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.
	Recover sludge.	Fertilizers

## 3. Exposure estimation and reference to its source

## 3.1. Health

2.1.1       Used ECETOC TRA model (May 2010 release)         2.1.2       Used ECETOC TRA model (May 2010 release)         2.1.3       Used ECETOC TRA model (May 2010 release)	Information for contributing exposure scenario		
2.1.2       Used ECETOC TRA model (May 2010 release)         2.1.3       Used ECETOC TRA model (May 2010 release)	2.1.1	Used ECETOC TRA model (May 2010 release)	
2.1.3 Used ECETOC TRA model (May 2010 release)	2.1.2	Used ECETOC TRA model (May 2010 release)	
	2.1.3	Used ECETOC TRA model (May 2010 release)	
2.1.4 Used ECETOC TRA model (May 2010 release)	2.1.4	Used ECETOC TRA model (May 2010 release)	

### 3.2. Environment

Information for contributing exposure scenario

	SAFETY DATA SHEET	Page : 40 / 92
		Revision nr : 2.0
BEL	Citric acid monobydrate	Supersedes : 20/05/2020
	onne acia mononyarate	
	·	
2.2	EUSES	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page : 41 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 05b

#### ES Ref.: 05b Use in cleaning agents ES Type: Worker Version: 1 PROC1, PROC4, PROC8a, PROC9, PROC10, PROC11, PROC13, PROC19 Use descriptors PC3, PC28, PC31, PC35, PC36, PC37 AC8, AC35 SU3 ERC2, ERC4, ERC8a, ERC8d, ERC9a, ERC9b Processes, tasks activities covered Air care products Automotive Care (spray, liquid) Perfumes, Fragrances Polishes and Wax Blends Washing and cleaning products (including solvent based products) Water softeners Water treatment chemicals Widespread use by professional workers (PW) Assessment method see section 3 of this exposure scenario.

# 2. Operational conditions and risk management measures

2.1.1 Contributing scen	ario controlling worker exposure (PROC1, PROC4, PROC13)	
Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)		
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions	
PROC4	Chemical production where opportunity for exposure arises	
PROC13	Treatment of articles by dipping and pouring	

## Product characteristics

Physical form	Granular solid, Aqueous solution
Concentration of the Substance in Mixture/Article	> 25 %
	Unless otherwise stated
Other product characteristics	fugacity, Low

## Operational conditions

Amount used	Daily amount per site	10 kg
Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	15 minutes Laundry and dish washing products
	Exposure duration	30 minutes Automotive Care (spray, liquid)
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m³/d Default
Other given operational conditions affecting workers	Liquid	Control of pH value.
exposure	Granular solid	On application, the product does not form dust.
	Local exhaust ventilation	Not applicable.

# Risk management measures Technical conditions and measures to control dispersion from the source towards the worker



# Citric acid monohydrate

Page : 42 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

### 2.1.2 Contributing scenario controlling worker exposure (PROC8a, PROC10)

Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)	
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC10	Roller application or brushing

Product characteristics	
Physical form	Granular solid, Aqueous solution
Concentration of the Substance in Mixture/Article	> 25 %
	Unless otherwise stated
Other product characteristics	fugacity, Low

#### Operational conditions

Amount used	Daily amount per site	10 kg
Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	15 minutes Laundry and dish washing products
	Exposure duration	30 minutes Automotive Care (spray, liquid)
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m³/d Default
	Covers skin contact area up to	Both hands (960 cm <sup>2</sup> )
Other given operational conditions affecting workers	Liquid	Control of pH value.
exposure	Granular solid	On application, the product does not form dust.
	Local exhaust ventilation	Not applicable.

#### Risk management measures

Technical conditions and measures to control dispersion from the source towards the worker		Not applicable	
2.1.3 Contributing scenario controlling worker exposure (PROC9)			

Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

## Product characteristics

Physical form	Granular solid, Aqueous solution
Concentration of the Substance in Mixture/Article	> 25 %
	Unless otherwise stated
Other product characteristics	fugacity, Low

#### **Operational conditions**

Amount used	Daily amount per site	10 kg
Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	15 minutes Laundry and dish washing products
	Exposure duration	30 minutes Automotive Care (spray, liquid)
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m³/d Default
	Covers skin contact area up to	Palms of both hands (480 cm2)
Other given operational conditions affecting workers	Liquid	Control of pH value.



Citric acid monohydrate

Revision nr : 2.0 Issue date : 25/03/2022

Page : 43 / 92

Supersedes : 20/05/2020

exposure	Granular solid	On application, the product
		does not form dust.
	Local exhaust ventilation	Not applicable.
Risk management measures		

Technical conditions and measures to control dispersion from the source towards the worker		asures to control wards the worker	Not applicable	
	2.1.4 Contributing scena	ario controlling worker exp	oosure (PROC11)	
	Washing and cleaning products (including solvent based products). Automotive Care (spray, liquid)			
	PROC11	Non industrial spraying		

#### Product characteristics

Physical form	Granular solid, Aqueous solution
Concentration of the Substance in Mixture/Article	> 25 %
	Unless otherwise stated
Other product characteristics	fugacity, Low

## Operational conditions

Amount used	Daily amount per site	10 kg
Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	15 minutes Laundry and dish washing products
	Exposure duration	30 minutes Automotive Care (spray, liquid)
Human factors not influenced by risk management	Body weight:	70 kg Default
	respiration volume (under conditions of use)	10 m³/d Default
	Covers skin contact area up to	both hands and forearms (1500 cm <sup>2</sup> )
Other given operational conditions affecting workers	Liquid	Control of pH value.
exposure	Granular solid	On application, the product does not form dust.
	Local exhaust ventilation	Not applicable.

## Risk management measures

Technical conditions and measures to control dispersion from the source towards the worker	Not applicable	
2.1.5 Contributing scenario controlling worker exp	osure (PBOC19)	

Washing and cleaning produ	cts (including solvent based products). Automotive Care (spray, liquid)
PROC19	Manual activities involving hand contact

## Product characteristics

Physical form	Granular solid, Aqueous solution
Concentration of the Substance in Mixture/Article	> 25 %
	Unless otherwise stated
Other product characteristics	fugacity, Low

### Operational conditions

Amount used	Daily amount per site	10 kg
Frequency and duration of use	Emission days (days/year):	365
	Exposure duration	1 events per day
	Exposure duration	15 minutes Laundry and dish washing products
	Exposure duration	30 minutes Automotive Care (spray, liquid)



# Citric acid monohydrate

Revision nr : 2.0 Issue date : 25/03/2022

Page : 44 / 92

Supersedes : 20/05/2020

Human factors not influenced by risk management	Body weight:	70 kg
		Default
	respiration volume (under conditions of use)	10 m <sup>3</sup> /d
		Default
	Covers skin contact area up to	both hands and forearms
		(1980 cm <sup>2</sup> )
Other given operational conditions affecting workers	Liquid	Control of pH value.
exposure	Granular solid	On application, the product
		does not form dust.
	Local exhaust ventilation	Not applicable.
Risk management measures		
Technical conditions and measures to control	Not applicable	
dispersion from the source towards the worker		
2.2 Contributing scenario controlling environme	ental exposure (ERC2, ERC4, ERC8a, ERC8d, ERC9	a, ERC9b)

ERC2	Formulation into mixture
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
ERC9a	Widespread use of functional fluid (indoor)
ERC9b	Widespread use of functional fluid (outdoor)

#### Product characteristics

Other product characteristics	Readily biodegradable
Operational conditions	

Amount used	Amounts used	100000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

### Risk management measures

Technical onsite conditions and measures to reduce or	Not applicable	
Conditions and measures related to sewage treatment	none	
plant		
Conditions and measures related to external treatment of waste for disposal	Not applicable.	
Conditions and measures related to external recovery of waste	Not applicable.	

## 3. Exposure estimation and reference to its source

## 3.1. Health

Information for contributing exposure scenario	
2.1.1	Used ECETOC TRA model (May 2010 release)
2.1.2	Used ECETOC TRA model (May 2010 release)
2.1.3	Used ECETOC TRA model (May 2010 release)
2.1.4	Used ECETOC TRA model (May 2010 release)
2.1.5	Used ECETOC TRA model (May 2010 release)

# 3.2. Environment

Information for contributing	g exposure scenario
2.2	EUSES

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
-------------------	-------------------



# Citric acid monohydrate

Page : 45 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

 4.2.
 Environment

 Guidance - Environment
 Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page: 46 / 92 Revision nr: 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 05c

#### ES Ref.: 05c Use in cleaning agents ES Type: Consumer Version: 1 PC3, PC28, PC31, PC35, PC36, PC37 Use descriptors AC8, AC35 SU21 ERC8a, ERC8d, ERC9a, ERC9b Processes, tasks activities covered Air care products Automotive Care (spray, liquid) Perfumes, Fragrances Polishes and Wax Blends Washing and cleaning products (including solvent based products) Water softeners Water treatment chemicals Consumer use (C) Assessment method see section 3 of this exposure scenario.

# 2. Operational conditions and risk management measures

2.1 Contributing scenario consumer end-use (PC3, PC28, PC31, PC35, PC36, PC37)			
Washing and cleaning products (including solvent based products), Automotive Care (spray, liquid)			
PC3	Air care products		
PC28	Perfumes, fragrances		
PC31	Polishes and wax blends		
PC35 Washing and cleaning products (including solvent based products)			
PC36	Water softeners		
PC37	Water treatment chemicals		

## Product characteristics

Physical form	Granular solid, Liquid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 25 %, Unless otherwise stated

#### **Operational conditions**

Human factors not influenced by risk management	Covers skin contact area up to	Both hands (960 cm <sup>2</sup> )
Other given operational conditions affecting consumers exposure	respiration volume (under conditions of use)	26 m <sup>3</sup> Default values: Cleaning and washing/laundry products/detergent liquids
	Covers use in room size of {0}.	20 m <sup>3</sup>
	Body weight:	65 kg Default values: Cleaning and washing/laundry products/detergent liquids
	Ventilation rate per hour	0,6
	Liquids, Aqueous solution	Control of pH value.
	Granular solid	On application, the product does not form dust.

Risk management measures			
Conditions and measures rel behavioural advice to consur	ated to information and ners	Not applicable	
2.2 Contributing scenario controlling environmental exposure (ERC8a, ERC8d, ERC9a, ERC9b)			
Coatings and paints, thinners, paint removers, Ink and Toners, Textile dyes, finishing and impregnating products; including bleaches and other processing aids No specific risk management measure identified beyond those operational conditions stated.			
ERC8a	Widespread use of non-rea	active processing aid (no inclusion into or onto article, ind	door)



Citric acid monohydrate

Page : 47 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
ERC9a	Widespread use of functional fluid (indoor)
ERC9b	Widespread use of functional fluid (outdoor)

# Product characteristics

Other product characteristics	Readily biodegradable

## Operational conditions

Amount used	Annual site tonnage (tons/year):	100000
Frequency and duration of use	Continuous use/release.	365 days/year
Environmental factors not influenced by risk management	Local freshwater dilution factor:	10
	Local marine water dilution factor:	100
Other given operational conditions affecting	Fraction of EU tonnage used in region:	10 %
environmental exposure	Regional use tonnage (tons/year):	10000 t/yr
	Fraction of regional tonnage used locally:	200 t/yr
	Annual site tonnage (tons/year):	0,01 t/d
	Fraction of the main local source	0,0005

Risk management measures			
Conditions and measures related to external recovery of waste	Solid waste	Can be landfilled or incinerated, when in compliance with local regulations.	
	Recover sludge.	Fertilizers	

## 3. Exposure estimation and reference to its source

# 3.1. Health

Information for contributing exposure scenario			
2.1	2.1 No data available		
3.2. Environment			
Information for contributing exposure scenario			
2.2	EUSES		

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

SAFETY DATA SHEET	Page : 48 / 92 Revision nr : 2.0 Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

1. Exposure scenario 06

# Paper industry

ES Ref.: 06 ES Type: Worker Version: 1

Use descriptors	PROC5, PROC8a
	PC26
	SU6b
	ERC4
Processes, tasks activities covered	Paper and board treatment products Manufacture of wood and wood products Manufacture of pulp, paper and paper products Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

# 2.1 Contributing scenario controlling worker exposure

Mixing or blending in batch processes, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities

Paper and board treatment products

Product characteristics

Rick management measures

Physical form	Liquid, Aqueous solution
Operational conditions	

Other given operational conditions affecting workers	Provide adequate ventilation	
exposure	Assumes a good basic standard of occupational hygiene is implemented.	

nisk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment, At high concentrations: Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

#### 2.2 Contributing scenario controlling environmental exposure (ERC4)

Mixing or blending in batch processes, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities

Paper and board treatment products

Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

#### Product characteristics

ERC4

No additional information

Operational	conditions

Amount used	Amounts used	1000 t/yr
Frequency and duration of use	Continuous use/release.	300 days/year
Other given operational conditions affecting environmental exposure	Release fraction to wastewater from wide dispersive use:	67 kg/day



# Citric acid monohydrate

Page : 49 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

3.1.	Health				
Informa	Information for contributing exposure scenario				
2.1		No data available			
3.2.	Environment				
Information for contributing exposure scenario					
2.2		No data available			

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

## 4.1. Health

Guidance -	Health

No data available

## 4.2. Environment

Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# Citric acid monohydrate

Page : 50 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 07a

construction application			ES Ref.: 07a	
			ES Type: Worker	
			Version: 1	
Use descriptors PROC PROC		2, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC13, 314, PROC19, PROC21, PROC24		
AC4				
	SU2a,	SU2b, SU10, SU19		
	ERC5,	ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b, ERC12a		
Processes, tasks activities	s covered Buildin Formul Buildin	ng and construction preparations not covered elsewhere. ulation [mixing] of preparations and/or re-packaging (excluding alloys) ng and construction work		
	Use at	industrial site	es (IS)	
Assessment method	see see	ction 3 of this	exposure scenario.	
2 Operational condi	tions and rick managem	ont moas	uroo	
2. Operational contributing con	noris controlling worker ever			Ce PROCED PROCID PROCID
PROC13, PROC14, PROC	19, PROC21, PROC24)	Sule (PhOC	2, FRUC4, FRUC5, FRUC7, FRU	
conditions. Chemical prod substance or mixture (cha dedicated facilities. Roller extrusion or pelletisation. I articles. High (mechanical Building and construction	Interpretations not covered elsewh provide the second second second second provide the second second second second manual activities involving hand ) energy work-up of substances preparations not covered elsewh	bosure arises edicated facil lustrial sprayi contact. Low bound in /on	<ul> <li>Mixing or blending in batch proces ities. Transfer of substance or mixting. Treatment of articles by dipping energy manipulation and handling materials and/or articles</li> </ul>	sses. Industrial spraying. Transfer of ure (charging and discharging) at g and pouring. tabletting, compression, of substances bound in/on materials or
PROC2	Chemical production or refir	nery in closed	d continuous process with occasion	al controlled exposure or processes
	with equivalent containment	t conditions		
PROC4	Chemical production where	opportunity f	or exposure arises	
PROC5	Mixing or blending in batch	processes		
PROC7	Industrial spraying			
PROC8a	Transfer of substance or mi	xture (chargi	ng and discharging) at non-dedicat	ed facilities
PROC8b	Transfer of substance or mi	xture (chargi	ng and discharging) at dedicated fa	acilities
PROC10	Roller application or brushin	ng		
PROC11	Non industrial spraying			
PROC13	Treatment of articles by dip	ping and pou	ring	
PROC14	Tabletting, compression, ex	trusion, pelet	ttisation, granulation	
PROC19 Manual activities involving hand		and contact		
PROC21 Low energy manipulation and		nd handling of substances bound in/on materials or articles		
PROC24	High (mechanical) energy w	ork-up of sul	bstances bound in /on materials an	d/or articles
Product characteristics				
Physical form		Liquid, Aque	ous solution	
Concentration of the Substance in Mixture/Article		Covers perc	entage substance in the product up	o to 1 %, Unless otherwise stated
Operational conditions				
Other given operational conditions affecting workers		Provide ade	quate ventilation	
exposure		Assumes a ghygiene is in	good basic standard of occupationa nplemented.	al
Risk management measur	res			
Conditions and measures related to personal A protection, hydiene and health evaluation h		Assumes a g	good basic standard of occupationa	al

eye/face protection.

Wear protective gloves/protective clothing and



**Citric acid monohydrate** 

Revision nr : 2.0 Issue date : 25/03/2022

Page : 51 / 92

Supersedes : 20/05/2020

Wear suitable respiratory protection, Effective dust	
mask	
In case of insufficient ventilation, wear suitable	
respiratory equipment,(Dust/Mist),At high	
concentrations:Use self-contained breathing	
apparatus	
For further specification, refer to section 8 of the	
SDS.	

## 2.2 Contributing scenario controlling environmental exposure (ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b, ERC12a)

Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Mixing or blending in batch processes. Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Treatment of articles by dipping and pouring. tabletting, compression, extrusion or pelletisation. Manual activities involving hand contact. Low energy manipulation and handling of substances bound in/on materials or articles. High (mechanical) energy work-up of substances bound in /on materials and/or articles

#### Building and construction preparations not covered elsewhere.

ERC5	Use at industrial site leading to inclusion into/onto article
ERC8c	Widespread use leading to inclusion into/onto article (indoor)
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)
ERC10a	Widespread use of articles with low release (outdoor)
ERC10b	Widespread use of articles with high or intended release (outdoor)
ERC11a	Widespread use of articles with low release (indoor)
ERC11b	Widespread use of articles with high or intended release (indoor)
ERC12a	Processing of articles at industrial sites with low release

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	1500 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Release fraction to soil from wide dispersive use (regional only):	3699 kg/day Regional information
	Release fraction to wastewater from wide dispersive use:	411 kg/day

#### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

## 3. Exposure estimation and reference to its source

## 3.1. Health

•••••			
Information for contributing	Information for contributing exposure scenario		
2.1	2.1 No data available		
3.2. Environment	S.2. Environment		
Information for contributing exposure scenario			
2.2 No data available			

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES



# Citric acid monohydrate

Page : 52 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management
	Measures/Operational Conditions outlined in Section 2 are implemented.



# Citric acid monohydrate

Page : 53 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 07b

construction application		ES Ref.: 07b		
			ES Type: Worker	
			Version: 1	
Use descriptors PR		DC2, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC13, DC14, PROC19, PROC21, PROC24		
	AC4	AC4		
	SU2a	a, SU2b, SU <sup>-</sup>	10, SU19	
	ERC	5, ERC8c, E	RC8f, ERC10a, ERC10b, ERC11a, ERC1	Ib, ERC12a
Processes, tasks activities	covered Build Form Build	ing and cons ulation [mixi ing and cons	truction preparations not covered elsewheng] of preparations and/or re-packaging (e truction work	.re. xcluding alloys)
	Wide	espread use by professional workers (PW)		
Assessment method	see s	ection 3 of tl	nis exposure scenario.	
2 Operational conditi	iono and rick monoro	mont moo		
2. Operational conditi	ions and risk manager		ISURES	
2.1 Contributing scer PROC13. PROC14. PROC1	nario controlling worker ex	posure (PR	JC2, PROC4, PROC5, PROC7, PROC8a	PROC8D, PROC10, PROC11,
conditions. Chemical production or remi substance or mixture (charg dedicated facilities. Roller a extrusion or pelletisation. M articles. High (mechanical) Building and construction p	ction where opportunity for ei- ging and discharging) at non- application or brushing. Non in lanual activities involving han energy work-up of substance reparations not covered elsev	xposure aris dedicated fa ndustrial spra d contact. Lo s bound in / where.	es. Mixing or blending in batch processes cilities. Transfer of substance or mixture ( aying. Treatment of articles by dipping and ow energy manipulation and handling of su on materials and/or articles	Industrial spraying. Transfer of sharging and discharging) at pouring. tabletting, compression, ibstances bound in/on materials or
PROC2	Chemical production or re with equivalent containme	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions		
PROC4	Chemical production where opportunity for exposure arises			
PROC5	Mixing or blending in batc	h processes		
PROC7	Industrial spraying			
PROC8a	Transfer of substance or r	nixture (char	ging and discharging) at non-dedicated fa	cilities
PROC8b	Transfer of substance or r	nixture (char	ging and discharging) at dedicated facilitie	:S
PROC10	Roller application or brush	ning		
PROC11	Non industrial spraying			
PROC13	Treatment of articles by dipping and pouring			
PROC14	Tabletting, compression, extrusion, pelettisation, granulation			
PROC19	Manual activities involving hand contact			
PROC21	Low energy manipulation and handling of substances bound in/on materials or articles			
PROC24	PROC24 High (mechanical) energy work-up of substances bound in /on materials and/or articles		articles	
Product characteristics	•			
Physical form		Liquid, Gr	anular solid	
Concentration of the Substa	ance in Mixture/Article	Covers pe	rcentage substance in the product up to 1	%, Unless otherwise stated
Operational conditions				
Other given operational cor	nditions affecting workers	Liquids		Control of pH value.
exposure		Granular s	solid	On application, the product does not form dust.

# Risk management measures Technical conditions and measures at process level to prevent release Not applicable Conditions and measures related to personal protection, hygiene and health evaluation For further specification, refer to section 8 of the SDS.



# **Citric acid monohydrate**

Revision nr : 2.0

Page: 54 / 92

Issue date : 25/03/2022

Supersedes : 20/05/2020

## 2.2 Contributing scenario controlling environmental exposure (ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b, ERC12a)

Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Mixing or blending in batch processes. Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Treatment of articles by dipping and pouring. tabletting, compression, extrusion or pelletisation. Manual activities involving hand contact. Low energy manipulation and handling of substances bound in/on materials or articles. High (mechanical) energy work-up of substances bound in /on materials and/or articles

Building and construction preparations not covered elsewhere.

ERC5	Use at industrial site leading to inclusion into/onto article
ERC8c	Widespread use leading to inclusion into/onto article (indoor)
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)
ERC10a	Widespread use of articles with low release (outdoor)
ERC10b	Widespread use of articles with high or intended release (outdoor)
ERC11a	Widespread use of articles with low release (indoor)
ERC11b	Widespread use of articles with high or intended release (indoor)
ERC12a	Processing of articles at industrial sites with low release

#### Product characteristics

No additional information

#### Operational conditions

Amount used	Amounts used	1500 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Not applicable	

Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Not applicable
plant		

## 3. Exposure estimation and reference to its source

## 3.1. Health

Information for contributing	Information for contributing exposure scenario	
2.1	2.1 No data available	
3.2. Environment		
Information for contributing exposure scenario		
2.2	No data available	

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page : 55 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 07c

# construction application

ES Ref.: 07c ES Type: Consumer Version: 1

Use descriptors	PC1, PC9b AC4 SU2a, SU2b, SU10, SU19 ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b
Processes, tasks activities covered	Building and construction work Formulation [mixing] of preparations and/or re-packaging (excluding alloys) Mining (without offshore industries) Consumer use (C)
Assessment method	see section 3 of this exposure scenario.

# 2. Operational conditions and risk management measures

# 2.1 Contributing scenario consumer end-use (PC1, PC9b)

Building and construction preparations not covered elsewhere.

Constructional articles and building material for indoor use: wall construction material, ceramic, metal, plastic and wood construction material, insulating material.

Constructional articles and building material for outdoor use: wall construction material, road surface material, ceramic, metal, plastic and wood construction material, insulating material.

PC1	Adhesives, sealants
PC9b	Fillers, putties, plasters, modelling clay

## Product characteristics

Physical form	Granular solid, Liquid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 1 %, Unless otherwise stated

#### Operational conditions

Other given operational conditions affecting consumers	Indoor and outdoor use.	
exposure	Liquids	Control of pH value.
	Granular solid	On application, the product
		does not form dust.

Risk management measures			
Conditions and measures related to information and behavioural advice to consumers		Not applicable	
2.2 Contributing scenario controlling environmental exposure (ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b)			
Building and construction preparations not covered elsewhere.			
ERC8c	Widespread use leading to inclusion into/onto article (indoor)		
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)		
ERC10a	Widespread use of articles with low release (outdoor)		
ERC10b	Widespread use of articles with high or intended release (outdoor)		

Widespread use of articles with low release (indoor)

Widespread use of articles with high or intended release (indoor)

#### Product characteristics

ERC11a

ERC11b

No additional information

#### Operational conditions

Amount used	Annual site tonnage (tons/year):	1500
Frequency and duration of use	Continuous use/release.	365 days/year

SAFETY DATA SHEET	Page : 56 / 92
	Revision nr : 2.0
	Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

## Risk management measures

No additional information

# 3. Exposure estimation and reference to its source

3.1.	Health		
Informa	Information for contributing exposure scenario		
2.1		No data available	
3.2.	Environment		
Informa	ation for contributing	exposure scenario	
2.2		EUSES	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page : 57 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 08

Use in polymer production Manufacture of plastics	ES Ref.: 08 ES Type: Worker Version: 1
Use descriptors	PROC3, PROC5, PROC8a, PROC8b PC32 SU11, SU12 ERC1, ERC6b
Processes, tasks activities covered	Polymer preparations and compounds Manufacture of rubber products Manufacture of plastics products, including compounding and conversion Use at industrial sites (IS)

Assessment method see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure (PROC3, PROC5, PROC8a, PROC8b)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities

Polymer preparations and compounds

PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC5	Mixing or blending in batch processes
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities

Product characteristics

Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 1 %, unless stated differently

Operational conditions

Other given operational conditions affecting workers exposure	Provide adequate ventilation	
	Assumes a good basic standard of occupational hygiene is implemented.	

Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment, (Dust/Mist), At high concentrations: Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

2.2 Contributing scenario controlling environmental exposure (ERC1, ERC6b)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities

Polymer preparations and compounds		
ERC1	Manufacture of the substance	
ERC6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)	



# Citric acid monohydrate

Page : 58 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

#### Product characteristics

No additional information

Operational conditions		
Amount used	Amounts used	200 t/yr
Frequency and duration of use	Continuous use/release.	300 days/year
Other given operational conditions affecting environmental exposure	Release fraction to wastewater from wide dispersive use:	0,35 kg/day Regional information
	Release fraction to wastewater from wide dispersive	3,18 kg/day Europe
	Release fraction to air from wide dispersive use (regional only):	0

## Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

## 3. Exposure estimation and reference to its source

# 3.1. Health Information for contributing exposure scenario 2.1 No data available 3.2. Environment Information for contributing exposure scenario 2.2 No data available

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented



# **Citric acid monohydrate**

Page : 59 / 92 Revision nr: 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 09

# Oil field well drilling and production operations

ES Ref.: 09 ES Type: Worker Version: 1

Use descriptors	PROC3, PROC4, PROC5, PROC8a, PROC8b
	PC20, PC40
	SU2a, SU2b
	ERC8d
Processes, tasks activities covered	Use in mining chemicals Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents Extraction agents
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

2.1 Contributing scen	2.1 Contributing scenario controlling worker exposure (PROC3, PROC4, PROC5, PROC8a, PROC8b)		
Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Chemical production where opportunity for exposure arises. Mixing or blending in batch processes Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents. Extraction agents			
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition		
PROC4	Chemical production where opportunity for exposure arises		
PROC5 Mixing or blending in batch processes			
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities		
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities		

Product characteristics

Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

**Operational conditions** 

Other given operational conditions affecting workers	Assumes a good basic standard of occupational	
exposure	hygiene is implemented.	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

2.2 Contributing scenario controlling environmental exposure (ERC8d)

Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Chemical production where opportunity for exposure arises. Mixing or blending in batch processes

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents. Extraction agents



Citric acid monohydrate

Page : 60 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

## ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	1000 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Release fraction to wastewater from wide dispersive use:	274 kg/day Regional information
	Release fraction to wastewater from wide dispersive	2470 kg/day
	use:	Europe

## Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

3.1. Health			
Information for contributing exposure scenario			
2.1	No data available		
3.2. Environment			
Information for contributing exposure scenario			
2.2	No data available		

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# Citric acid monohydrate

Page : 61 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 10

textiles	ES Ref.: 10
	ES Type: Worker
	Version: 1
Use descriptors	PROC8a, PROC8b, PROC10, PROC13, PROC22
	PC20, PC23, PC34
	AC5, AC6
	SU5
	ERC4
Processes, tasks activities covered	Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents Leather treatment products Textile dyes, finishing and impregnating products Manufacture of textiles, leather, fur
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.
2. Operational conditions and risk	t management measures
2.1 Contributing scenario controlling	g worker exposure (PROC8a, PROC8b, PROC10, PROC13, PROC22)
Propossing aids such as pH regulators floo	outants, procipitants, poutralization agonts, Leather treatment products. Textile dues, finishing and

impregnating products; including bleaches and other processing aids		
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities	
PROC10	Roller application or brushing	
PROC13	Treatment of articles by dipping and pouring	
PROC22	Manufacturing and processing of minerals and/or metals at substantially elevated temperature	

## Product characteristics

Physical form	Solid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

#### **Operational conditions**

Frequency and duration of use	Emission days (days/year):	300
		Continuous use/release.
Human factors not influenced by risk management	Body weight:	70 kg
		(Default)
	respiration volume (under conditions of use)	10 m³/d
Other given operational conditions affecting workers exposure	Provide adequate ventilation	
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

······································				
Conditions and measures related to personal protection, hygiene and health evaluation		Assumes a good basic standard of occupational hygiene is implemented.		
		Wear protective gloves/protective clothing and eye/face protection.		
		Wear suitable respiratory protection,Effective dust mask		
		In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus		
		For further specification, refer to section 8 of the SDS.		
2.2 Contributing scenario controlling environmental exposure (ERC4)				
Use of non-reactive processing aid at industrial site (no inclusion into or onto article)				
ERC4 Use	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)			



Citric acid monohydrate

Page : 62 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

# Product characteristics Readily biodegradable

Operational conditions				
Amount used	Amounts used	300 t/yr		
Frequency and duration of use	Continuous use/release.	365 days/year		
Other given operational conditions affecting environmental exposure	Not applicable			

#### **Risk management measures** Technical onsite conditions and measures to reduce or Waste water pretreatment Neutralisation is necessary limit discharges, air emissions and releases to soil before draining of to the purification plant Waste water treatment No specific data All contaminated waste water must be processed in an industrial or municipal wastewater treatment plant that incorporates both primary and secondary treatments. Municipal sewage treatment plant Applicable Conditions and measures related to sewage treatment plant Conditions and measures related to external treatment Fraction of used amount transferred to external No specific data waste treatment of waste for disposal Can be landfilled or Conditions and measures related to external recovery Solid waste of waste incinerated, when in compliance with local regulations. Recover sludge. Fertilizers

## 3. Exposure estimation and reference to its source

## 3.1. Health

Information for contributing exposure scenario				
2.1 Used ECETOC TRA model (May 2010 release)				
3.2. Environment				
Information for contributing exposure scenario				
2.2	EUSES			

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

# 4.1. Health Guidance - Health No data available 4.2. Environment Guidance - Environment Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# Citric acid monohydrate

Page : 63 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 11a

Uses in coatings, Paints			ES Ret.: 11a		
			ES Type: Worker		
			Version: 1		
		007 0000			
Use descriptors	PF		77, PROC88, PROC80, PROC10, PROC11, PROC19, PROC21, PROC24		
	PC	Ja, PUad, PUE	C, PC18, PC34		
	A				
	SU	JI7, SU18, SU1	7,5010,5019		
	EF	RC5, ERC8C, EI	, ERC8c, ERC8t, ERC10a, ERC10b, ERC11a, ERC11b		
Processes, tasks activities c	overed Co	batings and pair	ngs and paints, thinners, paint removers		
	Te	extile dyes, finisl	ning and impregnating products		
	Ge	eneral manufact	uring, e.g. machinery, equipment, vehi	les, other transport equipment	
	Ma	anufacture of fu	rniture truction work		
		and cons	ites (IS)		
Assessment method	30	e section 3 of th			
Assessment method	30				
2. Operational conditional con	ons and risk manag	gement mea	sures		
2.1 Contributing scena	ario controlling worker	exposure (PRC	0C7, PROC8a, PROC8b, PROC10, PF	OC11, PROC19, PROC21, PROC24)	
Industrial spraying. Transfer	of substance or mixture	(charging and d	scharging) at non-dedicated facilities.	ransfer of substance or mixture	
(charging and discharging) a	t dedicated facilities. Rol	ler application o	r brushing. Non industrial spraying. Ma aterials or articles. High (mechanical) e	nual activities involving hand contact.	
in /on materials and/or article	es narioling of substances		atendio of articles. Fligh (mechanical) e	lengy work up of substances bound	
Coatings and paints, thinners	s, paint removers. Textile	e dyes, finishing	and impregnating products. Ink and To	ners	
PROC7	Industrial spraying		·		
PROC8a	Transfer of substance of	or mixture (char	ging and discharging) at non-dedicated	facilities	
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities		ities		
PROC10	Roller application or br	ushing			
PROC11	Non industrial spraying				
PROC19	Manual activities involving hand contact				
PROC21	Low energy manipulation and handling of substances bound in/on materials or articles				
PROC24	High (mechanical) energy work-up of substances bound in /on materials and/or articles				
Product characteristics					
Physical form		Liquid, Aq	Liquid, Aqueous solution		
Concentration of the Substance in Mixture/Article		Covers pe	rcentage substance in the product up t	100 % (unless stated differently)	
Operational conditions					
Other given operational cond	ditions affecting workers	Provide ad	lequate ventilation		
exposure		Assumes a	a good basic standard of occupational		
		hygiene is	implemented.		

Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	



# Citric acid monohydrate

Revision nr : 2.0

Page: 64 / 92

Issue date : 25/03/2022

Supersedes : 20/05/2020

## 2.2 Contributing scenario controlling environmental exposure (ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b)

Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Manual activities involving hand contact. Low energy manipulation and handling of substances bound in/on materials or articles. High (mechanical) energy work-up of substances bound in /on materials and/or articles

Coatings and paints, thinners, paint removers. Textile dyes, finishing and impregnating products. Ink and Toners

ERC5	Use at industrial site leading to inclusion into/onto article
ERC8c	Widespread use leading to inclusion into/onto article (indoor)
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)
ERC10a	Widespread use of articles with low release (outdoor)
ERC10b	Widespread use of articles with high or intended release (outdoor)
ERC11a	Widespread use of articles with low release (indoor)
ERC11b	Widespread use of articles with high or intended release (indoor)

Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	300 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting	Fraction of EU tonnage used in region:	40 t/yr
environmental exposure	Release fraction to wastewater from wide dispersive	2,2 kg/day
	use:	Regional information
	Release fraction to wastewater from wide dispersive	14,3 kg/day
	use:	Europe

### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

## 3. Exposure estimation and reference to its source

3.1.	Health		
Informa	Information for contributing exposure scenario		
2.1		No data available	
3.2.	Environment		
Informa	Information for contributing exposure scenario		
2.2		No data available	

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

### 4.1. Health

Guidance - Health	No data available
Guidance - Health	No data availabl

#### 4.2. Environment

ł		
	Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management
		Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page: 65 / 92 Revision nr: 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 11b

#### ES Ref.: 11b Uses in coatings, Paints ES Type: Worker Version: 1 PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC21, PROC24 Use descriptors PC9a, PC9b, PC18, PC34 AC4, AC11 SU17, SU18, SU19 ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b Processes, tasks activities covered Coatings and paints, thinners, paint removers Ink and toners Textile dyes, finishing and impregnating products General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment Manufacture of furniture Building and construction work Formulation [mixing] of preparations and/or re-packaging (excluding alloys) Widespread use by professional workers (PW) see section 3 of this exposure scenario. Assessment method

# 2. Operational conditions and risk management measures

Contributing scenario controlling worker exposure (PROC7, PROC8a, PROC8b, PROC10, PROC11, PROC19, PROC21, PROC24) 2.1

Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Manual activities involving hand contact. Low energy manipulation and handling of substances bound in/on materials or articles. High (mechanical) energy work-up of substances bound in /on materials and/or articles

Coatings and paints, thinners, paint removers. Textile dyes, finishing and impregnating products. Ink and Toners

PROC7	Industrial spraying
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC19	Manual activities involving hand contact
PROC21	Low energy manipulation and handling of substances bound in/on materials or articles
PROC24	High (mechanical) energy work-up of substances bound in /on materials and/or articles

Product characteristics

Physical form	Liquid, Granular solid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

Operational conditions

Other given operational conditions affecting workers	Liquids	Control of pH value.
exposure	Granular solid	On application, the product
		does not form dust.

**Risk management measures** 

Technical conditions and measures at process level to prevent release	Not applicable	
Conditions and measures related to personal protection, hygiene and health evaluation	For further specification, refer to section 8 of the SDS.	

#### Contributing scenario controlling environmental exposure (ERC5, ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b) 2.2

Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Manual activities involving hand contact. Low energy manipulation and handling of substances bound in/on materials or articles. High (mechanical) energy work-up of substances bound in /on materials and/or articles



# **Citric acid monohydrate**

Page : 66 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

Coatings and paints, thinners, paint removers. Textile dyes, finishing and impregnating products. Ink and Toners		
ERC5	Use at industrial site leading to inclusion into/onto article	
ERC8c	Widespread use leading to inclusion into/onto article (indoor)	
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)	
ERC10a	Widespread use of articles with low release (outdoor)	
ERC10b	Widespread use of articles with high or intended release (outdoor)	
ERC11a	Widespread use of articles with low release (indoor)	
ERC11b	Widespread use of articles with high or intended release (indoor)	

## Product characteristics

No additional information

# Operational conditions

Amount used	Amounts used	300 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Not applicable	

Risk management measures			
Conditions and measures related to sewage treatment plant	Municipal sewage treatment plant	Not applicable	

## 3. Exposure estimation and reference to its source

# 3.1. Health Information for contributing exposure scenario 2.1 No data available S.2. Environment Information for contributing exposure scenario 2.2 No data available

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# **Citric acid monohydrate**

Page : 67 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 11c

# Uses in coatings, Paints

ES Ref.: 11c ES Type: Consumer Version: 1

Use descriptors	PC9a, PC18, PC34 AC4, AC11 SU17, SU18, SU19, SU21
	ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b
Processes, tasks activities covered	Formulation [mixing] of preparations and/or re-packaging (excluding alloys) General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment Manufacture of furniture Building and construction work
	Consumer use (C)
Assessment method	see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

## 2.1 Contributing scenario consumer end-use (PC9a, PC18, PC34)

Coatings and paints, thinners, paint removers, Ink and Toners, Textile dyes, finishing and impregnating products; including bleaches and other processing aids		
PC9a	Coatings and paints, thinners, paint removers	
PC18	Ink and Toners	
PC34	Textile dyes, finishing and impregnating products; including bleaches and other processing aids	

## Product characteristics

Physical form	Granular solid, Liquid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 $\%$ (unless stated differently)

## Operational conditions

•		
Other given operational conditions affecting consumers	Indoor and outdoor use.	
exposure	Liquids	Control of pH value.
	Granular solid	On application, the product
		does not form dust.

## Risk management measures

hist management measures			
Conditions and measures related to information and behavioural advice to consumers		Not applicable	
2.2 Contributing scenario controlling environmental exposure (ERC8c, ERC8f, ERC10a, ERC10b, ERC11a, ERC11b)			
Coatings and paints, thinners, paint removers, Ink and Toners, Textile dyes, finishing and impregnating products; including bleaches and other processing aids			
ERC8c	Widespread use leading to	inclusion into/onto article (indoor)	
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)		
ERC10a	Widespread use of articles with low release (outdoor)		
ERC10b	Widespread use of articles with high or intended release (outdoor)		
ERC11a	Widespread use of articles with low release (indoor)		

Widespread use of articles with high or intended release (indoor)

#### Product characteristics

ERC11b

No additional information

#### **Operational conditions**

Amount used	Annual site tonnage (tons/year):	300
Frequency and duration of use	Continuous use/release.	365 days/year
Environmental factors not influenced by risk management	Release to waste water from process	1 % (300 tons/year)

SAFETY DATA SHEET	Page : 68 / 92 Revision nr : 2.0 Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

Local, Release to waste water from process

0,82 kg/day

Risk management measures

No additional information

## 3. Exposure estimation and reference to its source

3.1.	Health			
Informa	Information for contributing exposure scenario			
2.1		No data available		
3.2.	Environment			
3.2.	Environment ation for contributing	exposure scenario		

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

# **Citric acid monohydrate**

Page : 69 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 12a

# Photographic activities ES Ref.: 12a ES Type: Worker Version: 1 Use descriptors PROC5, PROC9, PROC13 PC30 SU20 ERC8a Processes, tasks activities covered Health services Photochemicals Widespread use by professional workers (PW) Assessment method see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

## 2.1 Contributing scenario controlling worker exposure (PROC5, PROC9, PROC13)

Mixing or blending in batch processes. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Treatment of articles by dipping and pouring

#### Photochemicals

PROC5	Mixing or blending in batch processes
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
PROC13	Treatment of articles by dipping and pouring

#### Product characteristics

Physical form	Liquid, Granular solid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 1 %, Unless otherwise stated

#### **Operational conditions**

Other given operational conditions affecting workers	Liquids	Control of pH value.
exposure	Granular solid	On application, the product
		does not form dust.

#### Risk management measures

Technical conditions and measures at process level to prevent release	Not applicable	
Conditions and measures related to personal protection, hygiene and health evaluation	For further specification, refer to section 8 of the SDS.	

## 2.2 Contributing scenario controlling environmental exposure (ERC8a)

Mixing or blending in batch processes. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Treatment of articles by dipping and pouring

ERC8a

Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

#### Product characteristics

No additional information

#### **Operational conditions**

Other given operational conditions affecting Not applicable environmental exposure	Amount used	Amounts used	200 t/yr
	Other given operational conditions affecting environmental exposure	Not applicable	

#### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Not applicable
plant		

Photochemicals

SAFETY DATA SHEET	Page : 70 / 92 Revision nr : 2.0 Issue date : 25/03/2022
Citric acid monohydrate	Supersedes : 20/05/2020

# 3. Exposure estimation and reference to its source

3.1.	Health		
Informa	Information for contributing exposure scenario		
2.1		No data available	
3.2.	Environment		
3.2.	Environment ation for contributing	exposure scenario	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

	SAF	ETY DATA SHEET	Page : 71 / 92
	0/11		Revision nr : 2.0
			Issue date : 25/03/2022
	Citric	acid monohydrate	Supersedes : 20/05/2020
1. Exposure scenario 12b			
Photographic activities		ES Ref.: 12b ES Type: Consumer Version: 1	
Use descriptors	PC30		
	SU20 ERC8	a	
Processes, tasks activities covered	l Photo	chemicals	
	Consi	umer use (C)	
Assessment method	see se	ection 3 of this exposure scenario.	
2. Operational conditions a	nd risk manager	nent measures	
2.1 Contributing scenario co	onsumer end-use (PC	030)	
PC30 Phot	to-chemicals		
Product characteristics			
Physical form		Granular solid, Liquid	
Concentration of the Substance in	Mixture/Article	Covers percentage substance in the product u	up to 100 % (unless stated differently)
Operational conditions			
Other given operational conditions	affecting consumers	Indoor use.	
exposure		Liquids Granular solid	Control of pH value.
			does not form dust.
Risk management measures			
Conditions and measures related to behavioural advice to consumers	o information and	Not applicable	
2.2 Contributing scenario controlling environmental exposure (ERC8a)			
Photochemicals			
ERC8a         Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)			
Product characteristics No additional information			
Operational conditions			
Amount used		Annual site tonnage (tons/year):	200
Risk management measures No additional information			
3. Exposure estimation and	reference to its	source	

3.1.	Health		
Inform	Information for contributing exposure scenario		
2.1		No data available	
3.2.	.2. Environment		
Inform	Information for contributing exposure scenario		
2.2		EUSES	

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

![](_page_71_Picture_0.jpeg)

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.


# **Citric acid monohydrate**

Page : 73 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 13

#### ES Ref.: 13 Use as laboratory reagent ES Type: Worker Version: 1 Use descriptors PROC1, PROC2, PROC4, PROC8a PC4, PC16, PC20, PC37 SU3 ERC4, ERC7, ERC8f Processes, tasks activities covered Anti-Freeze and De-icing products Heat Transfer Fluids Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents Water treatment chemicals Use at industrial sites (IS) Assessment method see section 3 of this exposure scenario. 2. Operational conditions and risk management measures

2. Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure (PROC1, PROC2, PROC4, PROC8a)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

Anti-Freeze and De-icing products. Heat Transfer Fluids. Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents. Water treatment chemicals

PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC4	Chemical production where opportunity for exposure arises
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

#### Product characteristics

Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 1 %, Unless otherwise stated

Operational conditions

Other given operational conditions affecting workers exposure	Provide adequate ventilation	
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection,Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

2.2 Contributing scenario controlling environmental exposure (ERC4, ERC7, ERC8f)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities



# **Citric acid monohydrate**

Revision nr : 2.0

Page: 74 / 92

Issue date : 25/03/2022 Supersedes : 20/05/2020

 Anti-Freeze and De-icing products. Heat Transfer Fluids. Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents.

 Water treatment chemicals

 ERC4
 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

 ERC7
 Use of functional fluid at industrial site

 ERC8f
 Widespread use leading to inclusion into/onto article (outdoor)

#### Product characteristics

No additional information

#### Operational conditions

Amount used	Amounts used	1000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

# 3.1. Health

Information for contributing exposure scenario		
2.1	No data available	
3.2. Environment		
Information for contributing exposure scenario		
2.2	No data available	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# 1. Exposure scenario 14

#### ES Ref.: 14 Use in water treatment agents ES Type: Worker Version: 1 PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, Use descriptors PROC13, PROC17, PROC18, PROC20, PROC23 PC4, PC7, PC14, PC16, PC17, PC20, PC25, PC31, PC35, PC37 SU14, SU15, SU16, SU17 ERC4, ERC6b, ERC7 Manufacture of basic metals, including alloys Processes, tasks activities covered Manufacture of fabricated metal products, except machinery and equipment Manufacture of computer, electronic and optical products, electrical equipment General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment Anti-Freeze and De-icing products Base metals and alloys Metal surface treatment products Heat Transfer Fluids Hydraulic Fluids Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents Metal working fluids Polishes and Wax Blends Washing and cleaning products (including solvent based products) Water treatment chemicals Use at industrial sites (IS) Assessment method see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

# 2.1 Contributing scenario controlling worker exposure (PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17, PROC18, PROC20, PROC23)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Roller application or brushing. Treatment of articles by dipping and pouring. Lubrication at high energy conditions in metal working operations. General greasing /lubrication at high kinetic energy conditions. Use of functional fluids in small devices. Open processing and transfer operations at substantially elevated temperature

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents. Use in water treatment agents

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
Chemical production where opportunity for exposure arises
Industrial spraying
Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
Transfer of substance or mixture (charging and discharging) at dedicated facilities
Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Roller application or brushing
Treatment of articles by dipping and pouring
Lubrication at high energy conditions in metal working operations
General greasing /lubrication at high kinetic energy conditions
Use of functional fluids in small devices
Open processing and transfer operations at substantially elevated temperature



Product characteristics

# SAFETY DATA SHEET

**Citric acid monohydrate** 

Page : 76 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

# Physical form Liquid, Aqueous solution Concentration of the Substance in Mixture/Article Covers percentage substance in the product up to 100 % (unless stated differently) Operational conditions Other given operational conditions affecting workers exposure Provide adequate ventilation Assumes a good basic standard of occupational hygiene is implemented. Risk management measures Conditions and measures related to personal protection, hygiene and health evaluation Assumes a good basic standard of occupational hygiene is implemented. Mear protective clothing and

protection, hygiene and health evaluation	hygiene is implemented.	
	Wear protective gloves/protective clothing and	
	eye/face protection.	
	Wear suitable respiratory protection, Effective dust	
	mask	
	In case of insufficient ventilation, wear suitable	
	respiratory equipment, (Dust/Mist), At high	
	concentrations: Use self-contained breatning	
	apparatus	
	For further specification, refer to section 8 of the	
	SDS	

#### 2.2 Contributing scenario controlling environmental exposure (ERC4, ERC6b, ERC7)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Industrial spraying. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Roller application or brushing. Treatment of articles by dipping and pouring. Lubrication at high energy conditions in metal working operations. General greasing /lubrication at high kinetic energy conditions. Use of functional fluids in small devices. Open processing and transfer operations at substantially elevated temperature

#### Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents. Use in water treatment agents

ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)
ERC7	Use of functional fluid at industrial site

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	1000 t/yr
Other given operational conditions affecting environmental exposure	Release fraction to wastewater from wide dispersive use:	274 kg/day Regional information
	Release fraction to wastewater from wide dispersive use:	2470 kg/day Europe

#### **Risk management measures**

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

Information for contributir	ig exposure scenario
2.1	No data available
3.2. Environment	
Information for contributir	o exposure scenario

GUIR	SAFETY DATA SHEET	Page : 77 / 92 Revision nr : 2.0 Issue date : 25/03/2022
BEL'	Citric acid monohydrate	Supersedes : 20/05/2020
2.2	lo data available	

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



Page : 78 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 15

#### ES Ref.: 15 Metal surface treatment products ES Type: Worker Version: 1 PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, Use descriptors PROC17, PROC18, PROC23 PC7, PC14, PC25, PC31, PC35 SU14, SU15, SU16, SU17 ERC4. ERC6b Processes, tasks activities covered Manufacture of basic metals, including alloys Manufacture of fabricated metal products, except machinery and equipment Manufacture of computer, electronic and optical products, electrical equipment General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment Base metals and alloys Metal surface treatment products Metal working fluids Polishes and Wax Blends Washing and cleaning products (including solvent based products) Use at industrial sites (IS) Assessment method see section 3 of this exposure scenario.

# 2. Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure (PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17, PROC18, PROC23)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Industrial spraying. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Roller application or brushing. Treatment of articles by dipping and pouring. Lubrication at high energy conditions in metal working operations. General greasing /lubrication at high kinetic energy conditions. Open processing and transfer operations at substantially elevated temperature

Base metals and alloys. Metal surface treatment products. Metal working fluids. Polishes and wax blends. Washing and cleaning products (including solvent based products)

۲ <b>و</b>	,
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4	Chemical production where opportunity for exposure arises
PROC7	Industrial spraying
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
PROC10	Roller application or brushing
PROC13	Treatment of articles by dipping and pouring
PROC17	Lubrication at high energy conditions in metal working operations
PROC18	General greasing /lubrication at high kinetic energy conditions
PROC23	Open processing and transfer operations at substantially elevated temperature

#### Product characteristics

Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

#### Operational conditions

Other given operational conditions affecting workers	Provide adequate ventilation	
exposure	Assumes a good basic standard of occupational	



# **Citric acid monohydrate**

Revision nr : 2.0 Issue date : 25/03/2022

Page: 79/92

Supersedes : 20/05/2020

	hygiene is implemented.	
Risk management measures		
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	
2.2 Contributing according controlling onvironme	antal avpagura (EBC4 EBC6h)	

#### 2.2 Contributing scenario controlling environmental exposure (ERC4, ERC6b)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. Chemical production where opportunity for exposure arises. Industrial spraying. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture into small containers (dedicated filling line, including weighing). Roller application or brushing. Treatment of articles by dipping and pouring. Lubrication at high energy conditions in metal working operations. General greasing /lubrication at high kinetic energy conditions. Open processing and transfer operations at substantially elevated temperature

Base metals and alloys. Metal surface treatment products. Metal working fluids. Polishes and wax blends. Washing and cleaning products (including solvent based products)

ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	1000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

# Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary treatments.	

# 3. Exposure estimation and reference to its source

# 3.1. Health

Information for contributing exposure scenario	
2.1	No data available
3.2. Environment	
Information for contributing	y exposure scenario
2.2	No data available

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

	SAFETY DATA SHEET	Page : 80 / 92 Revision nr : 2.0
BEL	Citric acid monohydrate	Issue date : 25/03/2022 Supersedes : 20/05/2020



# Citric acid monohydrate

Page : 81 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 16a

# agriculture

Use descriptors	PROC3, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19
	PC8, PC12, PC21
	SU1
	ERC2, ERC4, ERC8b, ERC8d
Processes, tasks activities covered	Agriculture, forestry, fishery Biocidal products Lawn and Garden Preparations, including fertilizers
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

ES Ref.: 16a

ES Type: Worker Version: 1

2. Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure (PROC3, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Tabletting, compression, extrusion, pelettisation, granulation. Use as laboratory reagent. Manual activities involving hand contact

Biocidal products (e.g. Disinfectants, pest control). Fertilizers. Lawn and Garden Preparations, including fertilizers

PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC5	Mixing or blending in batch processes
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC14	Tabletting, compression, extrusion, pelettisation, granulation
PROC15	Use as laboratory reagent
PROC19	Manual activities involving hand contact

# Product characteristics

Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

#### **Operational conditions**

Other given operational conditions affecting workers exposure	Provide adequate ventilation	
	Assumes a good basic standard of occupational hygiene is implemented.	

#### Risk management measures

		1
Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection,Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	



# **Citric acid monohydrate**

Revision nr : 2.0 Issue date : 25/03/2022

Page: 82/92

Supersedes : 20/05/2020

# 2.2 Contributing scenario controlling environmental exposure (ERC2, ERC4, ERC8b, ERC8d)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Tabletting, compression, extrusion, pelettisation, granulation. Use as laboratory reagent. Manual activities involving hand contact

### Biocidal products (e.g. Disinfectants, pest control). Fertilizers. Lawn and Garden Preparations, including fertilizers

ERC2	Formulation into mixture
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

# Product characteristics

No additional information

#### **Operational conditions**

Amount used	Amounts used	1500 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Release fraction to soil from wide dispersive use (regional only):	3699 kg/day
	Release fraction to wastewater from wide dispersive	411 kg/day
	use:	

#### Risk management measures

Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

3.1.	Health		
Inform	ation for contributing	g exposure scenario	
2.1	2.1 No data available		
3.2.	Environment		
Inform	Information for contributing exposure scenario		
2.2		No data available	

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.



# Citric acid monohydrate

Page : 83 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 16b

# agriculture

Use descriptors	PROC3, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19
	PC8, PC12, PC21
	SU1
	ERC2, ERC4, ERC8b, ERC8d
Processes, tasks activities covered	Agriculture, forestry, fishery Biocidal products Lawn and Garden Preparations, including fertilizers
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

ES Ref.: 16b

ES Type: Worker Version: 1

2. Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure (PROC3, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC14, PROC15, PROC19)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Tabletting, compression, extrusion, pelettisation, granulation. Use as laboratory reagent. Manual activities involving hand contact

Biocidal products (e.g. Disinfectants, pest control). Fertilizers. Lawn and Garden Preparations, including fertilizers

PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC5	Mixing or blending in batch processes
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC14	Tabletting, compression, extrusion, pelettisation, granulation
PROC15	Use as laboratory reagent
PROC19	Manual activities involving hand contact

Product characteristics

Physical form	Liquid, Granular solid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

#### **Operational conditions**

Other given operational conditions affecting workers	Liquids	Control of pH value.
exposure	Granular solid	On application, the product
		does not form dust.

Risk management measures

Technical conditions and measures at process level to prevent release	Not applicable	
Conditions and measures related to personal protection, hygiene and health evaluation	For further specification, refer to section 8 of the SDS.	

# 2.2 Contributing scenario controlling environmental exposure (ERC2, ERC4, ERC8b, ERC8d)

Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition. Mixing or blending in batch processes. Transfer of substance or mixture (charging and discharging) at non-dedicated facilities. Transfer of substance or mixture (charging and discharging) at dedicated facilities. Roller application or brushing. Non industrial spraying. Tabletting, compression, extrusion, pelettisation, granulation. Use as laboratory reagent. Manual activities involving hand contact

Biocidal products (e.g. Disinfectants, pest control). Fertilizers. Lawn and Garden Preparations, including fertilizers



# Citric acid monohydrate

Page : 84 / 92 Revision nr : 2.0 Issue date : 25/03/2022

Supersedes : 20/05/2020

ERC2	Formulation into mixture
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

# Product characteristics

No additional information

Operational conditions		
Amount used	Amounts used	1500 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting environmental exposure	Not applicable	

# Risk management measures

# 3. Exposure estimation and reference to its source

3.1.	Health		
Inform	Information for contributing exposure scenario		
2.1	2.1 No data available		
3.2.	Environment		
Information for contributing exposure scenario			
2.2		No data available	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

Guidance - Health	No data available
4.2. Environment	
Guidance - Environment Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.	



# Citric acid monohydrate

Page : 85 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 16c

# agriculture

ES Ref.: 16c ES Type: Consumer Version: 1

Use descriptors	PC8, PC12, PC21
	SU1
	ERC8b, ERC8d
Processes, tasks activities covered	Agriculture, forestry, fishery Biocidal products Fertilizers Lawn and Garden Preparations, including fertilizers Consumer use (C)
Assessment method	see section 3 of this exposure scenario.

# 2. Operational conditions and risk management measures

# 2.1 Contributing scenario consumer end-use (PC8, PC12, PC21)

Biocidal products (e.g. Disinfectants, pest control), Fertilizers, Lawn and Garden Preparations, including fertilizers		
PC8	Biocidal products	
PC12	Fertilizers	
PC21 Laboratory chemicals		

# Product characteristics

Physical form	Granular solid, Liquid
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

# Operational conditions

Other given operational conditions affecting consumers	Liquids	Control of pH value.
exposure	Granular solid	On application, the product
		does not form dust.

Risk management measures			
Conditions and measures related to information and Not applicate behavioural advice to consumers		Not applicable	
2.2 Contributing scenario controlling environmental exposure (ERC8b, ERC8d)			
Biocidal products (e.g. Disinfectants, pest control), Fertilizers, Lawn and Garden Preparations, including fertilizers			
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)		
ERC8d	Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)		

#### Product characteristics

No additional information

#### **Operational conditions**

Amount used	Annual site tonnage (tons/year):	1500
Frequency and duration of use	Continuous use/release.	365 days/year

# Risk management measures

No additional information

# 3. Exposure estimation and reference to its source

Information for contributing	g exposure scenario
2.1	No data available



# Citric acid monohydrate

Page : 86 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

3.2.	Environment	
Informa	tion for contributing	exposure scenario
2.2		EUSES

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

# **Citric acid monohydrate**

Page : 87 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 17a

# **Medical devices**

ES Ref.: 17a ES Type: Worker Version: 1

Use descriptors	PROC1
	PC20
	SU20
	ERC7
Processes, tasks activities covered	Health services Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
	Use at industrial sites (IS)
Assessment method	see section 3 of this exposure scenario.

2. Operational conditions and risk management measures

# 2.1 Contributing scenario controlling worker exposure (PROC1)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent
	containment conditions

Product characteristics	
Physical form	Liquid, Aqueous solution
Concentration of the Substance in Mixture/Article	Covers percentage substance in the product up to 100 % (unless stated differently)

# Operational conditions

Other given operational conditions affecting workers	Provide adequate ventilation	
exposure	Assumes a good basic standard of occupational	
	hygiene is implemented	

#### Risk management measures

Conditions and measures related to personal protection, hygiene and health evaluation	Assumes a good basic standard of occupational hygiene is implemented.	
	Wear protective gloves/protective clothing and eye/face protection.	
	Wear suitable respiratory protection, Effective dust mask	
	In case of insufficient ventilation, wear suitable respiratory equipment,(Dust/Mist),At high concentrations:Use self-contained breathing apparatus	
	For further specification, refer to section 8 of the SDS.	

#### 2.2 Contributing scenario controlling environmental exposure (ERC7)

Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions

Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

ERC7 Use of functional fluid at industrial site

# Product characteristics

No additional information

#### Operational conditions

Amount used	Amounts used	1000 t/yr
Frequency and duration of use	Continuous use/release.	365 days/year
Other given operational conditions affecting	Not applicable	

# Citric acid monohydrate

Page : 88 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

environmental exposure		
Risk management measures		
Conditions and measures related to sewage treatment	Municipal sewage treatment plant	Applicable
plant	All contaminated waste water must be processed in	
	an industrial or municipal wastewater treatment plant	
	that incorporates both primary and secondary	
	treatments.	

# 3. Exposure estimation and reference to its source

3.1.	Health	
Informa	tion for contributing	exposure scenario
2.1		No data available
3.2.	Environment	
Informa	tion for contributing	exposure scenario
2.2		No data available

4.1. Health	
Guidance - Health	No data available
4.2. Environment	
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

# Citric acid monohydrate

Page : 89 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 17b

# **Medical devices**

ES Ref.: 17b ES Type: Worker Version: 1

Use descriptors PRC		21		
	PC20			
SU2		2		
	ERC7			
Processes, tasks activities cov	vered Health	n services		
	Proce	sing aids such as pH-regulators, flocculants, precipitants, neutralization agents		
	Use a	t industrial sites (IS)		
Assessment method	see se	ection 3 of this exposure scenario.		
2. Operational condition	ns and risk managen	nent measures		
2.1 Contributing scenar	rio controlling worker exp	osure (PROC1)		
Chemical production or refine	ry in closed process withou	t likelihood of exposure or processes with equivalent con	tainment conditions	
6				
Processing aids such as pH-re	egulators, flocculants, preci	pitants, neutralization agents		
PROC1	Chemical production or ref	inery in closed process without likelihood of exposure or	processes with equivalent	
	containment conditions			
Product characteristics				
Physical form		Liquid, Granular solid		
Concentration of the Substance	ce in Mixture/Article	Covers percentage substance in the product up to 100	% (unless stated differently)	
Operational conditions	Operational conditions			
Other given operational conditional	tions affecting workers	Liquids	Control of pH value.	
exposure		Granular solid	On application, the product does not form dust.	
Risk management measures				
Technical conditions and measures at process level to prevent release Not applicable				
Conditions and measures related to personal For further specification, refer to section 8 of the				
protection, hygiene and health evaluation SDS.				
2.2 Contributing scenar	rio controlling environme	ntal exposure (ERC7)		
Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions				

 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

 ERC7
 Use of functional fluid at industrial site

Product characteristics

No additional information

Operational conditions

Amount used	Amounts used	1000 t/yr
Other given operational conditions affecting environmental exposure	Not applicable	

Risk management measures

Conditions and measures related to sewage treatment plant	Municipal sewage treatment plant	Not applicable

3. Exposure estimation and reference to its source



# Citric acid monohydrate

Page : 90 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

3.1.	Health		
Inform	Information for contributing exposure scenario		
2.1		No data available	
3.2.	Environment		
3.2.	Environment ation for contributing	exposure scenario	

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

# 4.1. Health Guidance - Health No data available 4.2. Environment Guidance - Environment Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.

BEL

# Citric acid monohydrate

Page : 91 / 92 Revision nr : 2.0 Issue date : 25/03/2022 Supersedes : 20/05/2020

1. Exposure scenario 17c

# **Medical devices**

ES Ref.: 17c ES Type: Consumer Version: 1

Line de contener	Deep					
Use descriptors		20				
		SU21				
		ERC7				
Processes, tasks activities	covered Healt	Health services				
		Consumer use (C)				
Con:		anier use (C)				
	Assessment method see section 5 of this exposure scenario.					
2. Operational condit	ions and risk manage	ment measures				
2.1 Contributing scenario consumer end-use (PC20)						
Processing aids such as pl	H-regulators, flocculants, prec	ipitants, neutralization agents				
PC20	Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents					
Product characteristics						
Physical form		Granular solid, Liquid				
Concentration of the Substance in Mixture/Article		Covers percentage substance in the product up to 100 % (unless stated differently)				
Operational conditions						
Other given operational co	nditions affecting consumers	Liquids Cranular calid	Control of pH value.			
exposure			does not form dust.			
Risk management measures						
Conditions and measures r behavioural advice to cons	elated to information and umers	Not applicable				
2.2 Contributing sce	nario controlling environme	ental exposure (ERC7)				
Processing aids such as pl	H-regulators, flocculants, prec	ipitants, neutralization agents				
ERC7	Use of functional fluid at industrial site					
No additional information						
		Appuel eite tempere (temp(very))	1000			
Amount used		Annual site tonnage (tons/year).	1000			
Risk management measures						
No additional information						
3. Exposure estimation and reference to its source						
3.1. Health						
Information for contributing exposure scenario						
2.1	No data available					
3.2. Environment						
Information for contributing exposure scenario						
2.2	EUSES					



4.1. Health		
Guidance - Health	No data available	
4.2. Environment		
Guidance - Environment	Predicted exposures are not expected to exceed the PNECs when the Risk Management Measures/Operational Conditions outlined in Section 2 are implemented.	



# DISTRIBUTOR COMPANY INFORMATION

name	BRENNTAG N.V.	BRENNTAG NEDERLAND B.V.	BRENNTAG SOUTH AFRICA (PTY) LTD	
Address	Nijverheidslaan 38 8540 Deerlijk	Donker Duyvisweg 44 3316 BM Dordrecht	247 15 <sup>th</sup> Road, Randjespark, Midrand, 1685	
Country	Belgium	The Netherlands	South Africa	
Phone number	+32 (0)56 77 69 44	+31 (0)78 65 44 944	+27 (0)10 0209100	
Website	www.brenntag.com	www.brenntag.com	www.brenntag.com	
E-mail	Info.BE@brenntag.com	Info.NL@brenntag.com	Info.ZA@brenntag.com	
Activities	Distribution and export of chemicals and ingredients			
VAT number	BE0405317567	NL001375945B01	4520105356	
Emergemcy number (24/365)	+32 (0)56 77 69 44	+31 (0)78 65 44 944	+27 (0)10 0209100	
Management systems: certifications	ISO9001, ISO22000, FSSC22000, GMP+Feed, ESAD, RSPO, Rainforest Alliance	ISO 9001, ISO 14001, ISO 22000, ISO22716, FSSC 22000, ISO45001, GMP+ Feed, ESAD, AEO, SKAL, RSPO, Rainforest Alliance	ISO9001, ISO45001, ISO14001, FSSC22000, Certificate of acceptability for Food Premises R638, Ecovadis Stustainability Rating (Platinum), SABS 1827, SABS 1853, B-BBEE, Rainforest Alliance, Sedex	

Information in this publication is believed to be accurate and is given in good faith, but it is for the customer to satisfy itself of the suitability for its own particular purpose.

No representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

All offers and agreements are subject to the general terms and conditions of the selling Brenntag entity.

