According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page 1

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Solvent Black 29

Article No.: 94413

UFI: VQHA-MT3P-UT2C-MPPC

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Coloring agent for dye and varnish industry Coloring agent for industrial purposes

Coloring component

Uses advised against:

Not applicable.

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

EMail: info@kremer-pigmente.com

Importer: --

1. 4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1. 4. 2 Poison Center:

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Reproductive toxicity, hazard category 1B

H360D May damage the unborn child.

Cat.: Repr. 1A

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS08-2

Signal word:

Danger

Hazard designation:

Revised edition: 29.04.2022

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page	2
Printed:	08.11.2022

	H360D	May damage the unborn child.
Safety designation:		
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P280	Wear protective gloves/ clothing/ eye/ face protection.
	P308+P310	If exposed or you feel unwell: Immediately call a poison center or physician.
	P391	Collect spillage
	P405	Store locked up.

Version: 2.01

Hazardous components for labelling:

P501

2. 3. Other Hazards

Restricted to professional users.

international regulations.

This product is capable of dust explosion under certain

Dispose of contents/ container according to regional, national and

circumstances.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

4.

Chemical Characterization: C.I. Solvent Black 29

Information on Components / Hazardous

Ingredients:

Metal complex colorant: Metallkomplexfarbstoff: Amines, (C12-C14) compounds with 1-[2-[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]diazenyl]-2-naphthalenol 1-[2-[2-hydroxy-4(or 5)-nitrophenyl]diazenyl]-2-naphthalenol chromium complexes

Metal complex dyes (Repr. 1B, H360D); REACH

Reg. No. 01-2120081123-67-0000

80 - 100 %

CAS-Nr: 117527-94-3

EINECS-Nr: 938-781-3

EC-Nr:

Additional information:

First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

Stable side position in case of unconsciousness.

After inhalation:

Supply fresh air.

In case of complaints consult a physician.

After skin contact:

Wash with soap and rinse with plenty of water.

Remove contaminated clothing.

After eye contact:

Remove contact lens.

Rinse open eyes with plenty of water for at least 15 minutes.

According to regulation (EC) No. 1907/2006 (REACH)

KREMER

94413 Solvent Black 29

Page 3

After ingestion:

Rinse mouth with water and drink plenty of water.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

Exposure to high concentrations of dust may result in upper respiratory tract (nose and throat) and pulmonary irritation.

Effects:

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO2), extinguishing powder, water mist.

Unsuitable extinguishing media:

Water with full jet.

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of carbon oxides, nitrogen oxides, metal

oxides, oxides.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Avoid formation of dust: risk of dust explosion.

Dispose of fire debris and contaminated extinguishing water in

accordance with local regulations.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust, wear protective clothing.

6. 2. Environmental Precautions

Environmental precautions:

Keep spills and cleaning runoff out of municipal sewers and open

bodies of water.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with non-flammable absorbent material (e.g. sand, diatomaceous earth, vermiculite) and dispose accordingly.

Clean up with detergents.

Do not use solvents for cleaning.

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page 4

6. 4. Reference to other Sections

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

Respiratory protection when handling without exhaust system.

Wear adequate protective clothing (see para. 8).

Avoid formation of dust.

Hygienic measures:

Do not eat or drink during work. Do not smoke.

Remove contaminated clothing before entering dining areas.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room. Protect against heat, ignition sources and direct sunlight.

Requirements for storage areas and

containers:

Close open containers with care and store in an upright position to

avoid spilling.

Keep container tightly closed.

Do not reuse container.

Information on fire and explosion

protection:

Avoid dust formation. Protect against electrostatic charging.

Keep away from sources of heat and ignition - do not smoke.

Storage class:

6.1 C; Combustible, acute toxic cat. 3 / toxic products (TRGS 510)

Further Information:

7. 3. Specific End Use(s)

Further information:

No information available.

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

none known

Parameters to be controlled:

Derived No-Effect Level (DNEL):

0.94 mg/m3 (worker, inhalation, long-term exposure - systemic

effects)

0.13 mg/kg (worker, skin contact, long-term exposure - systemic

effects)

0.23 mg/m3 (consumer, inhalation, long-term exposure - systemic

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page 5

effects)

0.07 mg/kg (consumer, skin contact/swallowing, long-term

exposure - systemic effects)

Predicted No-Effect Concentration

(PNEC):

Fresh water: 0.1 mg/l Seawater: 0.01 mg/l

Fresh water sediment: 0.54 mg/kg Seawater sediment: 0.054 mg/l

Sewage treatment system (STP): 1 mg/l

Soil: 0.049 mg/kg

Sporadic release: 1 mg/l

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

Provide adequate ventilation.

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when

handling chemicals.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Suitable respiratory protection for lower concentration or shortterm effect: particle filter with medium efficiency for solid and liquid

particles (e.g. EN 143 or 149, type P2 or FFP2).

Hand protection:

Chemical protective gloves (EN 374 (Europe), F739 (US)). The manufacturer's directions for use should be observed

because of the great diversity of types.

Protective glove material:

Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective antistatic clothing made of natural fibres or of high

temperature-resistant systhetic fibres.

Environmental precautions:

Avoid contamination of sewage system, open water ways and

ground water.

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Properties

Form: powder

Color: black

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page 6

Odor: product specific

Odor threshold:

no information available

pH-Value: 6.5 (suspension)

Melting temperature: > 220°C

Boiling temperature:

not determined

Flash point:

not applicable

Evaporation rate:

not applicable

Flammability (solid, gas):

not highly flammable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not determined

Vapor density:

No information available.

Density: 1.27 g/cm3 (20.5°C, 1013 hPa)

Solubility in water: < 5 mg/l

Coefficient of variation (n-

Octanol/Water):

< 3.7 logKOW (20°C; OECD 117)

Auto-ignition temperature: 360°C (680°F)

Product is not auto-ignitable (Test type: Spontaneous self-ignition

at room temperature)

Decomposition temperature: ca. 200°C, 750 J/g

(DSC (DIN 51007))

Not a substance liable to self-decompostion according to UN

transport regulations, class 4.1

Viscosity, dynamic:

not applicable

Explosive properties:

Product does not present an explosion hazard.

Oxidizing properties:

not oxidizing

Bulk density: 230 - 420 kg/m3

9. 2. Further Information

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Page 7

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size: 17.6 μm

Other information:

Surface tension: 71.7 mN/m (20.4°C)

Decomposition point: > 200°C (1013 hPa). Decays without melting.

10. Stability and Reactivity

10.1. Reactivity

No decomposition if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Risk of dust explosion.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid formation of dust. Avoid ignition sources. Avoid humidity.

Thermal decomposition:

approx. 200°C, 750 kJ/g (DDK (DIN 51007))

10.5. Imcompatible Materials

Strong acids, strong bases and strong oxidizing agents.

10.6. Hazardous Decomposition Products

Carbon oxides, nitrogen oxides, chromoxides, toxic fumes/vapors.

10.7. Further Information

11. Toxicological Information

11. 1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

Acute Toxicity

LD50, oral: > 5000 mg/kg (rat; OECD 401)
LD50, dermal: > 2000 mg/kg (rat; OECD 402)

LC50, inhalation: > 5.9 mg/l (4h; rat)

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 404)

Irritant effect on eyes:

Non-irritating to eyes (rabbit; OECD 405)

Inhalation:

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

Sensitization:

Page	8
------	---

Revised edition: 29.04.2022 Version: 2.01 Printed: 08.11.2022

No information available.

Ingestion:

No information available

Non sensitizing (guinea pig; OECD 406).

Mutagenicity:

Product shows a mutagenic effect in a test with bacteria.

Tests with bacteria or mammal cell cultures did not show any

mutagenic effects.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Single exposure: no organospecific toxicity expected.

Repeated exposure: can damage the blood cells after repeated or

prolonged exposure.

No toxicological data available.

11. 2. Information on other Hazards

No further information available.

12. Ecological Information

Daphnia toxicity:

Algae toxicity:

Aquatic Toxicity

12. 1.

Aspiration hazard

Specific target organ toxicity (STOT):

Not hazardous for aqueous organisms. No toxic effects.

Fish toxicity: LC50: > 100 mg/l (96h, Danio rerio; OECD 203)

EC50: > 1000 mg/l (24h, Daphnia magna; OECD 202)

Bacteria toxicity:

NOEC: > 100 mg/l (3h, active sludge; OECD 209)

100 mg. (ci., double clauge, 0102 100)

EC50: > 100 mg/l (72h, Desmodesmus subspicatus; OECD 201)

NOEC: > 100 mg/l (72h, Desmodesmus subspicatus; OECD 201)

12. 2. Persistency and Degradability

Not readily biodegradable.

Very insoluble product and can thus be removed from water

mechanically in suitable effluent treatment plants.

3.5 % (28d); not readily biodegradable (OECD 301B)

12.3. Bioaccumulation

No bioaccumulation expected due to the distribution coefficient n-

According to regulation (EC) No. 1907/2006 (REACH)



94413 Solvent Black 29

.		V : 004	Page 9	
Revise	d edition: 29.04.2022	Version: 2.01 Octanol/water (logPOW).	Printed: 08.11.2022	
12. 4.	Mobility	Octanol/Water (logPOW).		
12. 7.	modific	Adsorption to solid soil phase is not expected.		
12. 5.	Results of PBT- und vPvP Assessment			
		According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.		
12. 6.	Endocrine Disrupting Properties			
		Not listed.		
12. 7.	12. 7. Other Adverse Effects			
	Water hazard class:	1, slightly hazardous (German R	egulation; Self-assessment).	
	Behaviour in sewage systems:			
	Further ecological effects:			
		Do not let product enter waterwa	ys or sewage system.	
	AOX Value:			
		Product does not contain any org influence the AOX value of disca		
13.	Disposal Considerations			
13. 1.	Waste Treatment Methods			
	Product:			
			ations, product may be taken to a n plant, after consultation with site ible authority.	
	European Waste Code (EWC):			
	Uncleaned packaging:			
Non-contaminated packaging in				
		Contaminated packaging must be	e disposed like the substance.	
	Waste Code No.:			
14.	Transport Information			
14. 1.	UN Number			
	ADR, IMDG, IATA			
14. 2. UN Proper Shipping Name				
	ADR/RID:			
		No hazardous goods according t transportation).	o ADR / DOT (US) (land	
	IMDG/IATA:			
		Not hazardous goods		
14. 3.	Transport Hazard Classes			
	ADR Class:	, , , , , ,		

not applicable

According to regulation (EC) No. 1907/2006 (REACH)



Solvent Black 29 94413

Page 10

Version: 2.01 Revised edition: 29.04.2022 Printed: 08.11.2022

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

not applicable

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no .:

14. 4. **Packaging Group**

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. **Environmental Hazards**

Not classified as environmentally hazardous.

14.6. **Special Precautions for User**

Not classified as a dangerous good under transport regulations.

14.7. Maritime Transport in Bulk according to IMO Instruments

not evaluated

14. 8. **Further Information**

15. **Regulatory Information**

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German

Regulation AwSV)

Local regulations on chemical accidents:

Employment restrictions:

The employment restrictions for expectant and nursing mothers

are to be observed (§§11 and 12 MuSchRiV).

Restriction and prohibition of application:

Restricted to professional users!

Technical instructions on air quality:

15. 2. **Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this

product.

Further Information 15. 3.

Listed in the following inventories:

REACH (EU), TSCA (US), DSL (CA), AICS (AUS), ENCS (JP),

According to regulation (EC) No. 1907/2006 (REACH)

94413 Solvent Black 29



Page 11

KECI (KR), PICCS (PH), IECSC (CN), NZIoC (NZ), TCSI (TW)

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.