

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 1

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

### 1. Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1. Product Identifier

*Product Name:* Solvent Red 122

*Article No.:* 94412

*UFI:* --

#### 1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

*Identified uses:*

*Coloring agent for dye and varnish industry  
Coloring agent for industrial purposes*

*Uses advised against:*

#### 1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

*Company:* Kremer Pigmente GmbH & Co. KG

*Address:* Hauptstr. 41-47, 88317 Aichstetten, Germany

*Tel./Fax.:* Tel +49 7565 914480, Fax +49 7565 1606

*Internet:* [www.kremer-pigmente.com](http://www.kremer-pigmente.com)

*EMail:* [info@kremer-pigmente.com](mailto:info@kremer-pigmente.com)

*Importer:* --

#### 1.4. Emergency No.

*Emergency No.:* +49 7565 914480 (Mon-Fri 8:00 - 17:00)

#### 1.4.2 Poison Center:

### 2. Hazards Identification

#### 2.1. Classification of the Substance or Mixture

*Classification according to Regulation  
(EC) No. 1272/2008 (CLP/GHS)*

H317

Cat.: 1

H412

Cat.: 3

*Skin sensitization, hazard category 1B  
Chronic aquatic toxicity, hazard category 3  
May cause an allergic skin reaction.*

*Harmful to aquatic life with long lasting effects.*

*Possible Environmental Effects:*

#### 2.2. Label Elements

*Classification according to Regulation  
(EC) No. 1272/2008 (CLP/GHS)*

*Hazard designation:*



GHS07-1

*Signal word:*

next page: 2

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 2

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

### Warning

#### Hazard designation:

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

#### Safety designation:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/ clothing/ eye/ face protection.
P302+P352	If on skin: Wash with soap and water.
P333+P313	If skin irritation or rash occurs: Get medical attention.
P501	Dispose of contents/ container according to regional, national and international regulations.

#### Hazardous components for labelling:

### 2.3. Other Hazards

*This product is capable of dust explosion under certain circumstances.*

## 3. Composition/Information on Ingredients

### 3.1. Substance

### 3.2. Mixture

*Chemical Characterization: Metal complex dye, similar C.I. Solvent Red 122*

#### Information on Components / Hazardous Ingredients:

*Reaction mass of Amines, C10-14-branched and linear Alkyl-, bis [2,4-dihydro-4[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)]chromate(1-) (1:1) and Amines, C10-14-branched and linear Alkyl-, bis[2,4-dihydro-4[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)]chromate(1-)(H317-412); REACH Reg. No. 01-2120759947-32; Content: 95 - 100 %*

Amine, C10-14-branched and linear Alkyl-, bis[2,4-dihydro-4[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)]chromate(1-) (H317-H412)	75 - 100 %	CAS-Nr: 85029-57-8 EINECS-Nr: 285-082-8 EC-Nr:
--	------------	--

3-Methyl-1-phenyl-5-pyrazolone (H317-412)	0.3 - 1 %	CAS-Nr: 89-25-8 EINECS-Nr: 201-891-0 EC-Nr:
---	-----------	---

Amines, C10-14-branched and linear Alkyl-, bis [2,4-dihydro-4[(2-hydroxy-5-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-)]chromate (1-) (1:1) (H302-413); REACH Reg.No. 01-2120763006-56-0000	0 - 7 %	CAS-Nr: 84961-40-0 EINECS-Nr: 284-628-2 EC-Nr:
--	---------	--

#### Additional information:

## 4. First Aid Measures

### 4.1. Description of the First Aid Measures

#### General information:

*Remove contaminated clothes.*

#### After inhalation:

next page: 3

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 3

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

*Supply fresh air.  
In case of complaints consult a physician.*

*After skin contact:*

*Wash with soap and rinse with plenty of water.  
Remove contaminated clothing.*

*After eye contact:*

*Rinse open eyes with plenty of water for at least 15 minutes.*

*After ingestion:*

*Rinse mouth immediately and give 200 - 300 ml of water to drink.  
Consult physician.*

### 4.2. Most important Symptoms and Effects, both Acute and Delayed

*Symptoms:*

*No further information available.*

*Effects:*

*No further information available.*

### 4.3. Indication of any Immediate Medical Attention and special Treatment needed

*Treatment:*

*Symptomatic treatment (decontamination, vital functions), no specific antidote known.*

---

## 5. Fire-Fighting Measures

### 5.1. Extinguishing Media

*Suitable extinguishing media:*

*Extinguishing powder, foam.*

*Unsuitable extinguishing media:*

*Carbon dioxide (CO<sub>2</sub>)*

### 5.2. Special Hazards arising from the Substance or Mixture

*Special hazards:*

*In case of fire: hazardous vapors may be released. Development of fumes/aerosol.*

### 5.3. Advice for Firefighters

*Protective equipment:*

*Wear self-contained respiratory protective device.*

*Further information:*

*Avoid formation of dust: risk of dust explosion.  
Dispose of fire debris and contaminated extinguishing water in accordance with local regulations.*

---

## 6. Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

*Personal precautions:*

*Avoid formation of dust, wear protective clothing.*

### 6.2. Environmental Precautions

*Environmental precautions:*

next page: 4

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 4

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

*Keep spills and cleaning runoff out of municipal sewers and open bodies of water.*

### 6.3. Methods and Material for Containment and Cleaning Up

*Methods and material:*

*Small spills:*

*Clean up with suitable appliance and dispose adequately.*

*Large spills:*

*Clean up mechanically. Avoid dust formation.*

### 6.4. Reference to other Sections

*Protective clothing, see Section 8.*

*Dispose of contaminated material according to Section 13.*

---

## 7. Handling and Storage

### 7.1. Precautions for Safe Handling

*Instructions on safe handling:*

*Respiratory protection when handling without exhaust system.*

*Hygienic measures:*

*Do not eat or drink during work. Do not smoke.*

### 7.2. Conditions for Safe Storage, including any Incompatibilities

*Storage conditions:*

*Store in tightly sealed containers in a dry and cool room.*

*Requirements for storage areas and containers:*

*No special measures necessary.*

*Information on fire and explosion protection:*

*Avoid dust formation. Protect against electrostatic charging.*

*Storage class:*

*11; Combustible solids (TRGS 510)*

*Further Information:*

### 7.3. Specific End Use(s)

*Further information:*

*No information available.*

---

## 8. Exposure Controls/Personal Protection

### 8.1. Parameters to be Controlled

*Parameters to be controlled (DE):*

*No exposure limits for this product.*

*TRGS 900*

*TLV: 10 mg/m<sup>3</sup> inhalable fraction (general dust limit)*

*Top limit: 8 (II)*

*Category II: substances with a resorptive effect.*

*TLV: 1.25 mg/m<sup>3</sup> air-borne fraction (general dust limit)*

*Parameters to be controlled:*

next page: 5

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 5

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

### *Derived No-Effect Level (DNEL):*

*No values available.*

### *Predicted No-Effect Concentration (PNEC):*

*No values available.*

### *Additional Information:*

#### 8.2. Exposure Controls

##### *Technical protective measures:*

*Provide adequate ventilation.*

##### *Personal Protection*

##### *General protective measures:*

*The usual precautionary measures are to be adhered to when handling chemicals.*

*Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.*

##### *Respiratory protection:*

*Suitable respiratory protection for lower concentration or short-term effect: particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, type P2 or FFP2).*

##### *Hand protection:*

*Chemical protective gloves (EN 374 (Europe), F739 (US)).*

*The manufacturer's directions for use should be observed because of the great diversity of types.*

##### *Protective glove material:*

*Recommended: Protective index 6, corresponding > 480 min. of permeation time according to EN 374.*

*Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).*

##### *Eye protection:*

*Safety glasses with protective shields (EN 166).*

##### *Body protection:*

##### *Environmental precautions:*

---

## 9. Physical and Chemical Properties

### 9.1. Information on Basic Physical and Chemical Properties

*Form:* powder

*Color:* red

*Odor:* odorless

*Odor threshold:*  
*no information available*

*pH-Value:* ca. 7.2 (20°C)

*Melting temperature:* 195 - 200°C

*Boiling temperature:*

next page: 6

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 6

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

*not applicable*

*Flash point:*

*not applicable*

*Evaporation rate:*

*This product is a non-volatile solid.*

*Flammability (solid, gas):*

*not highly flammable*

*Upper explosion limit:*

*no information available*

*Lower explosion limit:*

*no information available*

*Vapor pressure:*

*not applicable*

*Vapor density:*

*This product is a non-volatile solid.*

*Density:*

*1.33 g/cm<sup>3</sup> (20°C)*

*Solubility in water:*

*< 6 mg/l (20°C, pH 5.4-6.2)*

*Coefficient of variation (n-Octanol/Water):*

*not applicable*

*Auto-ignition temperature:*

*not applicable*

*Decomposition temperature:*

*200°C, 0.76 kJ/g (DDK)  
> 75°C (SADT, Test H.4, 28.4.4)*

*Viscosity, dynamic:*

*not applicable*

*Explosive properties:*

*Product does not present an explosion hazard.*

*Oxidizing properties:*

*not oxidizing*

*Bulk density:*

*250 - 500 kg/m<sup>3</sup>*

### 9.2. Further Information

*Solubility in solvents:*

*Ethanol 96 %: 100 g/l  
Butanon: approx. 500 g/l  
MEK-insoluble matter: < 2 %*

*Viscosity, kinematic:*

*Burning class:*

*Solvent content:*

*Solid content:*

next page: 7

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 7

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

*Particle size:*

*Other information:*

*Self-heating ability: This product is not a self-heating substance according to the UN class 4.2 (UN Test N.4)*  
*SADT: > 75°C; Heat accumulation/Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)*  
*Minimum ignition energy: 3 - 10 mJ (1 bar, 23°C); Inductivity: 0.1 mH; The product is capable of dust explosion.*  
*Hygroscopy: not hygroscopic*

### 10. Stability and Reactivity

#### 10.1. Reactivity

*No decomposition if used according to specifications.*  
*Formation of flammable gases: forms no flammable gases in the presence of water.*

#### 10.2. Chemical Stability

*Stable if used according to specifications.*

#### 10.3. Possibility of Hazardous Reactions

*Risk of dust explosion.*

#### 10.4. Conditions to Avoid

*Conditions to avoid:*

*Avoid formation of dust.*  
*Avoid ignition sources.*

*Thermal decomposition:*

*see section 9*

#### 10.5. Incompatible Materials

*Strong acids, strong bases and strong oxidizing agents.*

#### 10.6. Hazardous Decomposition Products

*None if stored and handled according to specifications.*

#### 10.7. Further Information

### 11. Toxicological Information

#### 11. 1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

*Acute Toxicity*

*Practically not toxic after a single oral exposure.*

*LD50, oral:*

*> 5000 mg/kg (rat; OECD 401)*

*LD50, dermal:*

*No information available.*

*LC50, inhalation:*

*No information available.*

*Primary effects*

*Irritant effect on skin:*

*Non irritating (In vitro, rabbit; OECD 439)*

*Irritant effect on eyes:*

*Non-irritating to eyes (in vitro, rabbit; OECD 492)*

next page: 8

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 8

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

*Inhalation:*

*No information available.*

*Ingestion:*

*No information available*

*Sensitization:*

*Sensitizing (OECD 429, Mouse Local Lymph Node Assay (LLNA))*

*Mutagenicity:*

*Product shows a mutagenic effect in a test with bacteria.*

*Reproductive toxicity:*

*No relevant data found.*

*Carcinogenicity:*

*No relevant data found.*

*Teratogenicity:*

*No information available.*

*Specific target organ toxicity (STOT):*

*Single exposure: no information available.*

*Repeated exposure: no information available.*

*Aspiration hazard*

*Not applicable*

**11.2. Information on other Hazards**

*No further information available.*

---

**12. Ecological Information**

**12.1. Aquatic Toxicity**

*Acutely harmful for aquatic organisms.*

*Controlled release of small amounts of product in biological sewage system do not cause disorders of the biodegradability of activated sludge.*

*Fish toxicity:*

*not determined*

*Daphnia toxicity:*

*EL50: 27.39 mg/l (48h, Daphnia magna; OECD 202)*

*Bacteria toxicity:*

*EC20: > 1000 mg/l (3h, active sludge; OECD 209)*

*No impairment of the biodegradability of active sludge expected when small amounts are discharged in biological sewage plants.*

*Terrestrial Toxicity: no data available*

*Algae toxicity:*

*EL50: 74.77 mg/l (7d, Lemna gibba; OECD 221)*

*EL10: 2.23 mg/l (7d, Lemna gibba; OECD 221)*

**12.2. Persistency and Degradability**

*Not readily biodegradable.*

*Very insoluble product and can thus be removed from water mechanically in suitable effluent treatment plants.*

next page: 9



# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 9

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

*Elimination information: < 10 % CO<sub>2</sub>-formation relative to the theoretical value (28d; OECD 301B; ISO 9439; 92/69/EEC, C.4-C; aerob. activated sludge)*

*No hydrolysis expected due to its structure.*

### 12.3. Bioaccumulation

*No information available.*

### 12.4. Mobility

*No information available.*

### 12.5. Results of PBT- und vPvP Assessment

*According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.*

### 12.6. Endocrine Disrupting Properties

*Not listed.*

### 12.7. Other Adverse Effects

*Water hazard class:*

*1, slightly hazardous (German Regulation; Self-assessment).*

*Behaviour in sewage systems:*

*Treatment in biological waste treatment plant has to be performed according to local and administrative regulations.*

*Further ecological effects:*

*The product contains chromium bound as a complex.*

*The product does not contain any substances which can deplete the ozone layer, according to Regulation (EC) 1005/2009*

*AOX Value:*

## 13. Disposal Considerations

### 13.1. Waste Treatment Methods

*Product:*

*In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.*

*European Waste Code (EWC):*

*Uncleaned packaging:*

*Non-contaminated packaging may be recycled.*

*Contaminated packaging must be disposed like the substance.*

*Waste Code No.:*

## 14. Transport Information

### 14.1. UN Number

*ADR, IMDG, IATA*

### 14.2. UN Proper Shipping Name

*ADR/RID:*

*No hazardous goods according to ADR / DOT (US) (land*

*next page: 10*

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 10

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

*transportation).*

*IMDG/IATA:*

*Not hazardous goods*

### 14.3. Transport Hazard Classes

*ADR Class:*

*not applicable*

*Hazard no.:*

*Classification code:*

*Tunnel restriction code:*

*IMDG Class (sea):*

*not applicable*

*Hazard no.:*

*EmS No.:*

*IATA Class:*

*not applicable*

*Hazard no.:*

### 14.4. Packaging Group

*ADR/RID:*

*not applicable*

*IMDG:*

*IATA:*

### 14.5. Environmental Hazards

*Not classified as environmentally hazardous.*

### 14.6. Special Precautions for User

*none known*

### 14.7. Maritime Transport in Bulk according to IMO Instruments

*not evaluated*

### 14.8. Further Information

---

## 15. Regulatory Information

### 15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

*Water hazard class:*

*1, slightly hazardous for water (according to the German Regulation AwSV)*

*Local regulations on chemical accidents:*

*Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances (Seveso III):  
Not listed.*

*Employment restrictions:*

*Restriction and prohibition of application:*

*Technical instructions on air quality:*

next page: 11

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 94412 Solvent Red 122

Page 11

Revised edition: 28.10.2021

Version: 8.0

Printed: 13.01.2023

---

### 15.2. Chemical Safety Assessment

*A Chemical Safety Assessment is not necessary for this product.*

### 15.3. Further Information

*Listed in the following inventories:*

*REACH (EU), TSCA (US), DSL (CA), AICS (AUS), ENCS (JP),  
KECI (KR), PICCS (PH), IECSC (CN), NZIoC (NZ), TCSI (TW)*

---

### 16. Other Information

*This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.*